


ISSN 0486-4271



International Organization  
for Succulent Plant Study

Organización Internacional  
para el Estudio de  
Plantas Suculentas

Organisation Internationale  
de Recherche sur les  
Plantes Succulentes

Internationale Organisation  
für Sukkulenten-Forschung

**IOS**

**Repertorium  
Plantarum  
Succulentarum  
LXII (2011)**

## **A short history of *Repertorium Plantarum Succulentarum***

The first issue of *Repertorium Plantarum Succulentarum* (RPS) was produced in 1951 by Michael Roan (1909–2003), one of the founder members of the International Organization for Succulent Plant Study (IOS) in 1950. It listed the ‘majority of the new names [of succulent plants] published the previous year’. The first issue, edited by Roan himself with the help of A.J.A. Uitewaal (1899–1963), was published for IOS by the National Cactus & Succulent Society, and the next four (with Gordon Rowley as Associate and later Joint Editor) by Roan’s newly formed British Section of the IOS. For issues 5–12, Gordon Rowley became the sole editor. Issue 6 was published by IOS with assistance by the Acclimatisation Garden Pinya de Rosa, Costa Brava, Spain, owned by Fernando Riviere de Caralt, another founder member of IOS.

In 1957, an arrangement for closer cooperation with the International Association of Plant Taxonomy (IAPT) was reached, and RPS issues 7–22 were published in their *Regnum Vegetabile* series with the financial support of the International Union of Biological Sciences (IUBS), of which IOS remains a member to this day. Issues 23–25 were published by Abbey Garden Press of Pasadena, California, USA, after which IOS finally resumed full responsibility as publisher with issue 26 (for 1975).

Gordon Rowley retired as editor after the publication of issue 32 (for 1981) along with Len E. Newton, who had assisted him with issues 13 onwards. Starting with issue 33, RPS was compiled and edited by Urs Eggli and Nigel Taylor, who enhanced it by adding data on nomenclatural types and enlarging the ‘Bibliographia’ section, first introduced in issue 20 (for 1969). After issue 45 (for 1994), Nigel Taylor handed over as co-editor to his wife Daniela Zappi, who assisted with issues 46–59. Reto Nyffeler joined the editorial team for issue 55 onwards.

Starting in 1986, a nomenclatural and bibliographical database was created to compile the individual issues and over the years all earlier issues were added to this database, making it possible to produce the ‘IOS Index of Names of Cactaceae published 1950–1990’. This was published by the Royal Botanic Gardens Kew in 1991, and followed by an equivalent list for the ‘other succulents’ in 1994.

After 60 issues conventionally printed, *Repertorium Plantarum Succulentarum* has been made available in digital form in pdf format (‘portable document format’) from issue 61 onwards, as an ‘open access’ publication, accessible over the internet.

# Repertorium Plantarum Succulentarum LXII (2011)

*Index nominum novarum plantarum succulentarum anno MMXI  
editorum nec non bibliographia taxonomica ab U. Egli et R.  
Nyffeler compositus.*

International Organization for Succulent Plant Study

September 2012

ISSN 0486-4271

## Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type (except for epithets of new cultivars), accompanied, in the case of newly described taxa, by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to the Index Herbariorum database. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is listed. For invalid, illegitimate or incorrect names, the articles of the ICBN or ICNCP which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the names of one or few new taxa are usually not repeated in the bibliographic section.
- Starting with RPS 61, abbreviations for periodicals are those suggested in Bibliographia Periodicorum Huntianum Ed. 2 (BPH2), or are constructed according to BPH2 guidelines for other periodicals. For some titles where BPH2 has incomplete data, the abbreviations suggested in ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 (‘1995’)) are used.

### Compiled by:

U. Eggli, Sukkulenten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.

R. Nyffeler, Institut für Systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich, Switzerland.

### Available from (incl. back issues):

IOS, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL, U.K.

© 2012: International Organization for Succulent Plant Study, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL, U.K.

© 2012 (data compilation): Sukkulenten-Sammlung Zürich, Zürich, Switzerland.

ISSN 0486-4271

This work is licenced under the Creative Commons Attribution - Non-Commercial - ShareAlike 3.0 Germany Licence. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/de/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

## Compilers' Preface

This is the second issue of RPS published in digital form and under a Creative Commons 3.0 licence. This change from paper to digital was generally well-received by the readership, especially in view of the fact that printed copies could still be obtained from the IOS Secretary. The free availability of the journal under the Creative Commons licence has certainly greatly helped towards wider circulation, and it is interesting to see that websites such as [www.scribd.com](http://www.scribd.com) also offer the publication.

There is no doubt that digital publications will become more and more important in the near future. Already today, there are several journals on cactus and succulent plant issues available exclusively in digital form, and this number will certainly grow. In addition, the 2011 International Botanical Congress has accepted a proposal to allow digital-only publication of nomenclatural novelties, with a starting date of 1. January 2012. This is a very important change, and it remains to be seen to what extent publication habits as to number and quality of publications will change as far as botanical nomenclature goes, and to what extent this change will influence the compilation of indexing publications such as RPS.

Words of thanks are, as usual, due to all those authors that have supplied us with copies of their papers. Especially for papers published in less well-known journals, and in less well-known digital-only publications, this help is vital and is greatly appreciated.

For help with nomenclatural questions, we again thank Katherine Challis and her colleagues at the IPNI team at Kew. As in previous years, Rainer Mailänder, Zürich, very kindly helped with literature from several more "general" biological journals.

Finally, a word of thanks is due to all those organizations and societies that help to make this digital version of RPS more widely accessible, especially the Sociedad Latinoamericana y del Caribe de Cactáceas y otras Suculentas. In addition, RPS is now also available from the site [www.cactuspro.com/biblio/en:rps](http://www.cactuspro.com/biblio/en:rps), which is devoted exclusively to succulent plant literature. Thanks to the efforts of Daniel Schweich and colleagues, numerous important books on the subject have been digitized in recent years and are freely available from this site.

**Corrections to previous volumes**

- In RPS 60, the combination *Weingartia tiraquensis* ssp. *mariana* was incorrectly listed under the epithet "mariae", and the same erroneous epithet was also given for the basionym *Sulcorebutia mariae*. 'mariana' is, however, the perfectly correct adjectival form.
- The bracket author of  $\times$ *Disophyllum charltonii* was incorrectly given as "G. D. Rowley" on the base of the original publication, but the basionym was published by Masters, and the bracket author should be amended accordingly.

## NOMINA NOVA

## AGAVACEAE

- Agave parviflora** ssp. **densiflora** G. D. Starr & Devender, *Cact. Succ. J. (Los Angeles)* 83(5): 225, ill. (p. 228), 2011. Typus: *Reina G. & Devender* 98-1892 (ARIZ, DES, MEXU, MO, USON).
- Agave pintilla** S. González & al., *Acta Bot. Mex.* 95: 81-83, ill., 2011. Typus: *Reséndiz & al.* 131 (CHDIR, ENCB, MEXU).
- Agave salmiana** ssp. **tehuacanensis** (Karwinski ex Salm-Dyck) García-Mendoza, *Fl. Valle de Tehuacán-Cuicatlán*, 88, *Agavac.*, 55, 2011. Basionym: *Agave tehuacanensis*.
- Agave turneri** R. H. Webb & J. M. Salazar-Ceseña, *Brittonia* 63(2): 204-206, ill., 2011. Typus: *Salazar-Ceseña* 3740 (MEXU).
- Manfreda huetamensis* Castillejos-Cruz, *Sist. Gen. Manfreda* [thesis], 2009. *Nom. inval.* (Art. 29.1).
- Manfreda justosierrana** García-Mendoza, *Revista Mex. Biodivers.* 82: 748-749, ill., 2011. Typus: *García-Mendoza & al.* 6739 (MEXU [in 2 parts]).
- Manfreda umbrophila** García-Mendoza, *Revista Mex. Biodivers.* 82: 750-751, ill., 2011. Typus: *García-Mendoza & al.* 8524 (MEXU, ENCB, IEB, K, MO, OAX, UAMIZ).
- Manfreda verhoekiae** García-Mendoza, *Revista Mex. Biodivers.* 82: 754-755, ill., 2011. Typus: *García-Mendoza & Mérida* 2551 (MEXU).
- Polianthes zapopenensis** E. Solano & Ríos-Gómez, *Brittonia* 63(1): 70-72, ill., 2011. Typus: *Castillejos C. & Solano C.* 1564 (MEXU, CHAPA, ENCB, FEZA, IBUG, IEB, NY, UAMIZ).

## AIZOACEAE

- Antimima paripetala** (L. Bolus) Klak, *Bothalia* 41(2): 293, 2011. Basionym: *Mesembryanthemum paripetalum*.
- Conophytum buysianum** ssp. **politum** A. J. Young & C. Rodgeron, *Bradleya* 29: 100, figs. 12-14 (p. 101), 2011. Typus: *Young & C. Rodgeron* s.n. in *Harrower* s.n. (NBG,

## HNT).

- Drosanthemum boerhavii** (Ecklon) H. E. K. Hartmann, *Bradleya* 29: 165, fig. 56-60 (p. 170), 2011. Basionym: *Mesembryanthemum boerhavii*.
- Drosanthemum uniondalense** H. E. K. Hartmann, *Bradleya* 29: 175-177, figs. 63-66 (p. 173), 2011. Typus: *Hartmann* 34813 (HBG).
- Esterhuysenia grahambeckii** van Jaarsveld, *Bradleya* 29: 47, 50, ill. (pp. 44-47), 2011. Typus: *van Jaarsveld & van der Spuy* 23555 (PRE).
- Octopoma nanum** (L. Bolus) Klak, *Bothalia* 41(2): 293, 2011. Basionym: *Ruschia nana*.
- Trianthea clavata** (J. M. Black) H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 195, 2011. Basionym: *Trianthea crystallina* var. *clavata*.
- Trianthea corallicola** H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 195-197, ill., 2011. Typus: *Friis & al.* 5029 (C, B, K).
- Trianthea corymbosa** (E. Meyer ex Sonder) H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 197, 2011. Basionym: *Trianthea crystallina* var. *corymbosa*.
- Trianthea mozambiquensis** H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 202-203, fig. 11 (p. 201), 2011. Typus: *Marques* 2299 (WAG).
- Trianthea pakistanensis** H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 203, fig. 3 (p. 184), 2011. Typus: *Sultanul-Abedin* 5681 (B).
- Trianthea ufoensis** H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 210, fig. 5D-F (p. 186), 2011. Typus: *Short & Dunlop* 4932 (DNA).
- Trianthea vleiensis** H. E. K. Hartmann & Liede, *Pl. Ecol. Evol.* 144(2): 211, fig. 9 (p. 198), 2011. Typus: *Hartmann* 31323 (HBG).
- ANACAMPSEROTACEAE**
- Avonia harveyi** J. van Thiel & Lavranos, *CactusWorld* 29(4): 224-225, ill. (pp. 223-225), 2011. Typus: *Lavranos & Harvey* 32027 (FT).

APOCYNACEAE

- Brachystelma pullaiahi** Ravi Prasad Rao & al., *Taiwania* 56(3): 223-224, ills., 2011. Typus: *Rao & Prasad* 34664 (BSID, CAL, SKU).
- Caralluma bicolor** Ramachandran & al., *Nordic J. Bot.* 29: 447-448, ills., 2011. Typus: *Joseph* 1501 (CAL, MH).
- Caralluma moorei** Aditya, *Asklepios* 110: 7-9, ills., 2011. Typus: *Aditya* 30-095M (K).
- Caralluma sarkariae** var. **longipedicellata** Aditya, *Asklepios* 110: 20-24, ills., 2011. Typus: *Aditya* 50-126M (K).
- Ceropegia anjanerica** Malpure & al., *Curr. Sci.* 91(9): 1141, ills., 2006. Typus: *Malpure* 1 (CAL, BLAT, BSI, K, Herb. Shivaji Univ. Kolhapur). [Omitted previously.]
- Ceropegia bhatii** S. R. Yadav & Shendage, *Kew Bull.* 65(1): 107-109, ills., 2010. Typus: *Shendage* 2550 (CAL, BSI, Herb. Shivaji Univ. Kolhapur). [Omitted previously.]
- Ceropegia mohanramii** S. R. Yadav & al., *Rhedeia* 16(1): 33-36, ills., 2006. Typus: *Sardesai* 2541 (CAL, BLATT, BSI, K, SUK). [Omitted previously.]
- Ceropegia oculata** var. **satpudensis** Punekar & al., *Curr. Sci.* 91(9): 1143, ills., 2006. Typus: *Jagtap* 2919 (CAL, BSI). [Omitted previously.]
- Eriostemma badaensis* Kloppenburg & T. Green, *Fraterna* 24(4): 16-20, ills., 2011. Typus: UC. *Nom. inval.* (Art. 37.1, 37.2).
- Eriostemma grandiflora* (Blume ex Decaisne) Kloppenburg & Gilding, *Fraterna* 24(2): 4, 2011. *Nom. inval.* (Art. 33.4), based on *Hoya grandiflora*.
- Eriostemma pulgarensis* Elmer ex Kloppenburg & Gilding, *Fraterna* 24(2): 4, 2001. Based on *Elmer* 12985. *Nom. inval.* (Art. 37.7). [Name first used as combination for *Hoya pulgarensis* Elmer 1938 (*nom. inval.*, Art. 36.1) in l.c. 14(2): 4, 2001 (cf. RPS 52).]
- Eriostemma zollingeriana* (Miquel) Kloppenburg & Gilding, *Fraterna* 24(2): 4, 2011. *Nom. inval.* (Art. 33.4), based on *Hoya zollingeriana*.
- Hoya amrita** Kloppenburg & al., *Asklepios* 110: 27-29, ills., 2011. Typus: *Ferreras* 750 (CAHUP).
- Hoya apoensis** Kloppenburg & Siar, *Asklepios* 110: 25-26, ills., 2011. Typus: *Kloppenb.* s.n. (CAHUP 71718). [Name first used in

- the protologue of *H. apoensis* var. *sagittaria* Kloppenburg & al. 2010.]
- Hoya bandongii** Kloppenburg & Ferreras, *Fraterna* 24(4): 9-14, ills., 2011. Typus: *Ferreras* 770 (PUH 14596).
- Hoya benitotanii** Kloppenburg, *Gard. Bull.* Singapore 61(2): 330-332, ills., 2010. Typus: *Bicknell* s.n. in *Kloppenb.* 2010-6 (UC) [Ex cult. T. Green.]. [Omitted previously.]
- Hoya devogelii** Rodda & Simonsson, *Webbia* 66(1): 34-36, ills., 2011. Typus: *De Vogel* 9398 (L, SAR?).
- Hoya ignorata** T. B. Tran & al., *Novon* 21(4): 509-511, ills., 2011. Typus: *Bien* 1072 (HN, MO).
- Hoya ilagii** Kloppenburg & al., *Asia Life Sci.* 20(2): 263-269, ills., 2011. [According to Kloppenburg, *Fraterna* 24(2): 4, 2011, the name honours the Ilag family, and thus should be corrected to 'ilagiorum'. Paper not available to evaluate validity of the name and typification.]
- Hoya isabelaensis** Kloppenburg & al., *Fraterna* 24(4): 24-28, ills., 2011. Typus: *Ferreras* 783 (PUH, CAHUP, PNH).
- Hoya jianfenglingensis** S.-Y. He & P. T. Li, *Novon* 21(3): 343-345, ills., 2011. Typus: *He & al.* 0607281 (CANT, MO [photo]).
- Hoya matavanuensis** Kloppenburg, *Asklepios* 111: 11-12, ills., 2011. Typus: *Whistler* 9539 (HAW).
- Hoya medinillifolia** Rodda & Simonsson, *Webbia* 66(2): 149-152, ills., 2011. Typus: *Mohar* S.48205 (K, L, SAR).
- Hoya rotundiflora** Rodda & Simonsson, *Phytotaxa* 27: 37-43, ills., 2011. Typus: *Anonymus* s.n. (K).
- Hoya santiagoi** Kloppenburg & Siar ex Kloppenburg, *Fraterna* 24(4): 29-31, ills., 2011. Typus: *Santiago* 36315 (PNH).
- Hoya sapaensis** T. B. Tran & Rodda, *Ann. Bot. Fenn.* 48: 511-513, ills., 2011. Typus: *Phuong & al.* HNK239 (HN, K).
- Hoya skinneriana** Kloppenburg & Wayman, *Fraterna* 24(4): 5-8, ills., 2011. Typus: *Skinner* s.n. (UC) [Ex cult. Kloppenburg.].
- Hoya tannaensis** T. Green & Kloppenburg, *Fraterna* 24(1): 4-7, ills., 2011. Typus: *Slade* s.n. in *Kloppenb.* 2011-2 (UC) [Ex cult. T. Green.].



- Hoya tauensis** Kloppenburg, Asklepios 111: 13-14, ills., 2011. Typus: *Whistler* 1297 (HAW).
- Hoya yapiana** Kloppenburg, Gard. Bull. Singapore 61(2): 327-328, ills. (pp. 328-329), 2010. Typus: *Luan-Keng* BN090122 (SING). [Sphalm. 'yapianum'.]
- Orbea wissmannii** ssp. **eremastrum** (O. Schwartz) Mosti & Raffaelli, Asklepios 110: 14, 2011. Basionym: *Caralluma eremastrum*.
- Orbea wissmannii** ssp. **parviloba** (Bruyns) Mosti & Raffaelli, Asklepios 110: 14, 2011. Basionym: *Orbea wissmannii* var. *parviloba*.
- ×**Orbeotriche** G. D. Rowley, Asklepios 109: 14, 2011. [Dated Dec. 2010, received at ZSS Jan. 2011.] [= *Orbea* × *Tromotriche*.]
- Sarcostemma areysianum** Bruyns, S. African J. Bot. 77: 802-803, ills., 2011. Typus: *Bruyns* 10287 (BOL, E).
- ASPHODELACEAE**
- Aloe antoetrana** J.-B. Castillon, CactusWorld 29(1): 53-54, ills. (pp. 51-53), 2011. Typus: *Castillon* 48 (TAN).
- Aloe beankaensis** J.-B. Castillon & J.-P. Castillon, Aloe Madagascar, Addendum No. 1, 13, ills., 2011. *Nom. inval.* (Art. 29.1, 36.1). [Name used as provisional name in figure caption only.]
- Aloe benishangulana** Sebsebe & Tesfaye, Kew Bull. 66(1): 113, fig. 1 (p. 114), 2011. Typus: *Hermann* 157 (ETH, K [photo]).
- Aloe bernardii** J.-P. Castillon, Cact.-Avent. Int. 89: 25-27, ills., 2011. Typus: *Castillon* 49 (TAN, P, TAN).
- Aloe butiabana** T. C. Cole & T. G. Forrest, Cact. Succ. J. (Los Angeles) 83(1): 28-33, ills., 2011. Typus: *Cole & Forrest* 420 (MHU, EA).
- Aloe** ×**buzariensis** Lodé, Cact.-Avent. Int. 92: 19, ills., 2011. Typus: *Lodé* 1230512 (Herb. Fundación Joel Lodé). [= *Aloe perryi* × *A. squarrosa*. First published invalidly (Art. 36.1, 40.1) l.c. 85: 3-4, ills., 2010.]
- Aloe erythrophylla** ssp. **major** J.-B. Castillon, CactusWorld 29(1): 54-55, ills. (pp. 53-54), 2011. Typus: *Castillon* 50 (TAN).
- Aloe ghibensis** Sebsebe & Friis, Kew Bull. 66(1): 113-114, fig. 2 (p. 115), 2011. Typus: *Sebsebe & al.* 6764 (ETH, K).
- Aloe karasbergensis** ssp. **hunsbergensis** van Jaarsveld & Swanepoel, Aloe 48(3): 64-66, ills., 2011. Typus: *van Jaarsveld & Swanepoel* 21018 (WIND).
- Aloe knersvlaktensis** S. J. Marais, Aloe 47(4): 96-97, ills. (pp. 96-99), 2011. Typus: *Marais* s.n. (NBG). [Volume for 2010, received at ZSS Feb. 2011.]
- Aloe mottramiana** J.-B. Castillon, CactusWorld 29(4): 218-219, ills., 2011. Typus: *Castillon* 51 (TAN). [First used as provisional invalid (Art. 29.1, 36.1) name by J.-B. & J.-P. Castillon, Aloe Madagascar, Addendum No. 1: 12, ills., 2011.]
- Aloe sharoniae** N. R. Crouch & G. F. Smith, Bradleya 29: 116, figs. 1-5 (pp. 117-118), 2011. Typus: *Harrison* 980 (PRE). [*Nom. nov. pro Aloe cooperi* ssp. *pulchra* Glen & D. S. Hardy 1987.]
- Aloe spinitriaggregata** J.-B. Castillon, Cact.-Avent. Int. 90: 2-5, ills., 2011. Typus: *Castillon* 47 (TAN, P).
- Aloe springatei-neumannii** L. E. Newton, Bradleya 29: 58, figs. 1-2 (p. 59), 2011. Typus: *Springate* 99.008A (EA).
- Aloe tegetiformis** L. E. Newton, Bradleya 29: 60, figs. 3-5 (p. 59), 2011. Typus: *Powys* 1259 (EA).
- Aloe tongaensis** van Jaarsveld, Aloe 47(3): 71, ills. (pp. 64-65, 71), 2011. Typus: *van Jaarsveld & Powrie* 12202 (PRE). [Dated Dec. 2010, received at ZSS Feb. 2011.]
- Aloe wanalensis** T. C. Cole & T. G. Forrest, Cact. Succ. J. (Los Angeles) 83(1): 34-37, ills., 2011. Typus: *Cole & Forrest* 440 (MHU, EA).
- Aloe welmelensis** Sebsebe & Nordal, Kew Bull. 60(1): 117, 120, fig. 4 (p. 119), 2011. Typus: *Sebsebe & al.* 6655 (ETH, K).
- Aloe weloensis** Sebsebe, Kew Bull. 60(1): 117, fig. 3 (p. 118), 2011. Typus: *Sebsebe & al.* 6275 (ETH).
- Gasteria croucheri** ssp. **pondoensis** N. R. Crouch & al., Bothalia 41(1): 183-184, ill., 2011. Typus: *Crouch & Syles* 1149 (NH).
- Haworthia groenewaldii** Breuer, Alsterworthia Int. 11(2): 15-20, ills., (3): 4 [erratum], 2011. Typus: *Groenewald* 1 (NBG).

**Haworthia splendens** var. **hansii** M. Hayashi, *Haworthia Study* 24: 3, ills., 2011. Typus: *Hayashi* 09-221 (TI). [Dated Dec. 2010, received at ZSS Feb. 2011.]

**Haworthia splendens** var. **ingoii** M. Hayashi, *Haworthia Study* 24: 3, ills., 2011. Typus: *Hayashi* 03-245 (TI). [Dated Dec. 2010, received at ZSS Feb. 2011.]

**Haworthia splendens** var. **masai** M. Hayashi, *Haworthia Study* 24: 3, ills., 2011. Typus: *Marx* 447 (TI). [Dated Dec. 2010, received at ZSS Feb. 2011.]

**Haworthia truterorum** Breuer & Marx, *Aloe* 48(3): 54-57, ills., 2011. Typus: *Marx* 676 (GRA). [Sphalm. 'truterorum'.]

#### ASTERACEAE

**Gazania splendissima** Mucina & al., *S. African J. Bot.* 77: 89-92, ills., 2011. Typus: *Mucina & Santos Guerra* 7237/4 (NBG, GRA).

**Senecio oribiensis** van Jaarsveld, *Aloe* 48(4): 78-80, ills., 2011. Typus: *van Jaarsveld* 22763 (PRE).

#### BEGONIACEAE

**Begonia blancii** M. Hughes & C.-I Peng, *Bot. Studies (Nangang)* 52: 204-205, ills., 2011. Typus: *Blanc & Rubite* 09-201 (PNH, E, SING).

#### BURSERACEAE

**Commiphora buruxa** Swanepoel, *S. African J. Bot.* 77: 609-610, ills., 2011. Typus: *Swanepoel* 282 (WIND, PRE).

#### CACTACEAE

**Acharagma huasteca** Elhart, *CactusWorld* 29(2): 105-106, ill., 2011. Typus: *Elhart* s.n. (MEXU).

**Andinopuntia** Guiggi, *Cactology* 2(Suppl.): 1, 2011. Typus: *Opuntia floccosa*.

**Andinopuntia floccosa** (Salm-Dyck) Guiggi, *Cactology* 2(Suppl.): 1, 2011. Basionym: *Opuntia floccosa*.

**Andinopuntia lagopus** (K. Schumann) Guiggi, *Cactology* 2(Suppl.): 1, 2011. Basionym: *Opuntia lagopus*.

**Astrophytum capricorne** ssp. **sanjuanense** Pavlíček, *Kaktusy (Brno)* 47(1): 5, ills. (pp. 4-9), 2011. Typus: *Pavlíček* s.n. (PR 745389).

**Aylostera albiareolata** (F. Ritter) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2777, 2011. Basionym: *Rebutia albiareolata*.

**Aylostera albopectinata** (Rausch) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2777, 2011. Basionym: *Rebutia albopectinata*.

**Aylostera amblypetala** (F. Ritter) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Rebutia rosalbiflora* var. *amblypetala*.

**Aylostera applanata** (Rausch) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Lobivia steinmannii* var. *applanata*.

**Aylostera atrovirens** (Backeberg) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Lobivia atrovirens*.

**Aylostera aureiflora** (Backeberg) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Rebutia aureiflora*.

**Aylostera brachyantha** (Wessner) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Lobivia brachyantha*.

**Aylostera brighignae** (Mosti & Papini) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Rebutia brighignae*.

**Aylostera brunneoradicata** (F. Ritter) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Rebutia brunneoradicata*.

**Aylostera brunnescens** (Rausch) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2777, 2011. Basionym: *Rebutia brunnescens*. [Sphalm. 'brunescens'.]

**Aylostera buiningiana** (Rausch) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2777, 2011. Basionym: *Rebutia buiningiana*.

**Aylostera cajasensis** (F. Ritter) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2777, 2011. Basionym: *Rebutia cajasensis*.

**Aylostera camargoensis** (Rausch) Mosti & Papini, *Pakistan J. Bot.* 43(6): 2780, 2011. Basionym: *Rebutia camargoensis*. [Name first

- used inadvertently by Rausch, *Lobivia* 85, 129, 1987 (*nom. inval.*, Art. 34.1), erroneously applied in an incorrect basionym citation for a combination under *Lobivia*.]
- Aylostera canacruzensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2780, 2011. Basionym: *Rebutia canacruzensis*.
- Aylostera carmeniana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2780, 2011. Basionym: *Rebutia carmeniana*.
- Aylostera christinae** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2780, 2011. Basionym: *Rebutia christinae*.
- Aylostera cincinnata** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia cincinnata*.
- Aylostera cintiensis** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2777, 2011. Basionym: *Rebutia cintiensis*.
- Aylostera colorea** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia colorea*.
- Aylostera crassa** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Lobivia haagei* var. *crassa*.
- Aylostera diersiana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia diersiana*.
- Aylostera diersiana** ssp. **atrovirens** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia diersiana* var. *atrovirens*.
- Aylostera donaldiana** (A. B. Lau & G. D. Rowley) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia donaldiana*.
- Aylostera einsteinii** (Fric ex Kreuzinger & Buning) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia einsteinii*.
- Aylostera eos** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia eos*.
- Aylostera fischeriana** (Slaba) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia fischeriana*.
- Aylostera flavistyla** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia flavistyla*.
- Aylostera friedrichiana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia friedrichiana*.
- Aylostera froehlichiana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia froehlichiana*.
- Aylostera fulviseta** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia fulviseta*.
- Aylostera fusca** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia fusca*.
- Aylostera gavazzii** (Mosti) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia gavazzii*.
- Aylostera gonjianii** (R. Kiesling) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia gonjianii*.
- Aylostera haagei** (Fric & Schelle) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia haagei*.
- Aylostera haagei** ssp. **elegantula** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Lobivia haagei* var. *elegantula*.
- Aylostera haagei** ssp. **mudanensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Rebutia mudanensis*.
- Aylostera haefneriana** (Cullmann) Mosti & Papini, Pakistan J. Bot. 43(6): 2781, 2011. Basionym: *Mediolobivia haefneriana*.
- Aylostera heliosa** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia heliosa*.
- Aylostera heliosa** ssp. **cajasensis** (Donald) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia heliosa* var. *cajasensis*.
- Aylostera heliosa** ssp. **condorensis** (Donald) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia heliosa* var. *condorensis*.
- Aylostera hoffmannii** (Diers & Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia hoffmannii*.
- Aylostera huasiensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia huasiensis*. [Name first used inadvertently by Rausch, *Lobivia* 85, 13, 1987 (*nom. inval.*, Art. 34.1), erroneously in the incorrect basionym citation for the combination under *Lobivia*.]
- Aylostera iridescens** (F. Ritter) Mosti & Papini, 43(6): 2782, 2011. Basionym: *Rebutia iridescens*.

- Aylostera iscayachensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia iscayachensis*.
- Aylostera jujuyana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia jujuyana*.
- Aylostera kieslingii** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia kieslingii*.
- Aylostera knizei** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia pygmaea* var. *knizei*.
- Aylostera leucacantha** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia steinmannii* var. *leucacantha*.
- Aylostera leucanthera** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia leucanthera*.
- Aylostera major** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia steinmannii* var. *major*.
- Aylostera mamillosa** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia mamillosa*.
- Aylostera marieae** (L. Fischer & Halda) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia marieae*.
- Aylostera melanocentra** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia steinmannii* var. *melanocentra*.
- Aylostera minor** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia diersiana* var. *minor*.
- Aylostera mixticolor** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia mixticolor*.
- Aylostera nazarenoensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Digitorebutia nazarenoensis*.
- Aylostera nigricans** (Wessner) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia nigricans*.
- Aylostera nigricans** ssp. *albispina* (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia nigricans* var. *albispina*.
- Aylostera nitida** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia nitida*.
- Aylostera nogalesensis** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2778, 2011. Basionym: *Rebutia nogalesensis*. [Sphalm. 'nogalesensis'.]
- Aylostera oculata** (Werdermann) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Rebutia oculata*.
- Aylostera oculata** ssp. *tilcarensis* (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2782, 2011. Basionym: *Lobivia euanthema* var. *tilcarensis*.
- Aylostera odehnalii** (Halda & al.) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia odehnalii*.
- Aylostera orurensis** (Backeberg) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia orurensis*.
- Aylostera pallida** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia pallida*.
- Aylostera parvula** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia steinmannii* var. *parvula*.
- Aylostera patericalyx** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia patericalyx*.
- Aylostera pauciareolata** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia pauciareolata*.
- Aylostera pelzliana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia haagei* var. *pelzliana*.
- Aylostera perplexa** (Donald) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia perplexa*.
- Aylostera polypetalata** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia pygmaea* var. *polypetalata*.
- Aylostera pseudoritteri** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia atrovirens* var. *pseudoritteri*.
- Aylostera pulchella** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia pulchella*.
- Aylostera pygmaea** (R. E. Fries) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Echinopsis pygmaea*.
- Aylostera raffaellii** (Mosti & Papini) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia raffaellii*.
- Aylostera raulii** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia raulii*.

- Aylostera ritteri** (Wessner) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia ritteri*.
- Aylostera robustispina** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia robustispina*.
- Aylostera rovidana** (Mosti & Papini) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia rovidana*.
- Aylostera schatzliana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia schatzliana*.
- Aylostera simoniana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia simoniana*.
- Aylostera sumayana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia sumayana*.
- Aylostera supthutiana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia supthutiana*.
- Aylostera tafnaensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Lobivia pygmaea* var. *tafnaensis*.
- Aylostera tamboensis** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia tamboensis*.
- Aylostera tarijensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia tarijensis*.
- Aylostera tarvitaensis** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia tarvitaensis*.
- Aylostera torquata** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2783, 2011. Basionym: *Rebutia torquata*.
- Aylostera tropaeolipicta** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Rebutia tropaeolipicta*.
- Aylostera tuberculata** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Lobivia steinmannii* var. *tuberculata*.
- Aylostera vallegrandensis** (Cárdenas) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia vallegrandensis*.
- Aylostera violaceostaminata** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Lobivia pygmaea* var. *violaceostaminata*.
- Aylostera violascens** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Rebutia violascens*.
- Aylostera vulpina** (F. Ritter) Mosti & Papini, Pakistan J. Bot. 43(6): 2779, 2011. Basionym: *Rebutia vulpina*.
- Aylostera wahliana** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2780, 2011. Basionym: *Rebutia wahliana*.
- Aylostera walteri** (Diers) Mosti & Papini, Pakistan J. Bot. 43(6): 2780, 2011. Basionym: *Rebutia walteri*.
- Aylostera yuncharasensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Lobivia atrovirens* var. *yuncharasensis*.
- Aylostera yuquinensis** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Rebutia yuquinensis*.
- Aylostera zecheri** (Rausch) Mosti & Papini, Pakistan J. Bot. 43(6): 2784, 2011. Basionym: *Rebutia zecheri*. [Name first inadvertently used by Rausch in *Lobivia* 85, 13, 1987 (*nom. inval.*, Art. 34.1), erroneously used in the incorrect basionym citation for the combination under *Lobivia*.]
- Banfiopuntia** Guiggi, *Cactology* 2(Suppl.): 1, 2011. Typus: *Opuntia verschaffeltii*.
- Banfiopuntia verschaffeltii** (J. F. Cels ex F. A. C. Weber) Guiggi, *Cactology* 2(Suppl.): 1, 2011. Basionym: *Opuntia verschaffeltii*.
- Brasilicereus estevesii** (Hofacker & P. J. Braun) N. P. Taylor & M. Machado, *Cactaceae Syst. Init.* 25: 7, 2011. Basionym: *Bragia estevesii*.
- ×**Cleistaageocereus** Mordhorst, *Kakt. and. Sukk.* 62(9): 228, 2011. [= *Cleistocactus* × *Haageocereus*.]
- Copiopoa griseoviolacea** Keim & I. Schaub, *Cactus & Co.* 14(4): 8-15, ills., 2011. Typus: *Schaub & Keim* s.n. (SGO). [Volume for 2010, received at ZSS March 2011.]
- Corynopuntia bulbispina** ssp. **basileocephala** D. Donati, *Piante Grasse* 30(1): 17, ills. (pp. 13-14, 16, 18), 2011. Typus: *Hinton & al.* 29069 (Herb. Hinton, MEXU).
- Coryphantha ottonis* ssp. *boehmei* B. Hofmann & H. Otto, *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 35(2): 125, ills. (pp. 124, 126-127), 2011. Based on *Anonymus* s.n. in *UAT* 22253. *Nom. inval.* (Art. 37.2).
- Cumulopuntia iturbicola** G. Charles, *Cactaceae Syst. Init.* 25: 12, ill. (p. 11), 2011. Typus: *Charles & al.* 180.09 (K).

- Cumulopuntia subterranea** ssp. **pulcherrima** (Halda & Horáček) G. Charles, *Cactaceae Syst. Init.* 25: 16, ill. (p. 14), 2011. Basionym: *Tephrocactus pulcherrimus*.
- ×**Echinaageocereus** Mordhorst, *Kakt. and. Sukk.* 62(9): 228, 2011. [= *Echinopsis* × *Haageocereus*.]
- Echinocereus parkeri** ssp. **rayonesensis** (N. P. Taylor) D. Felix & W. Blum, *Echinocereus parkeri*-Gruppe, 99, 2011. Basionym: *Echinocereus rayonesensis*.
- Echinocereus reichenbachii** ssp. **albertii** (L. D. Benson) Pilbeam, *Echinocereus*, 117, ill., 2011. Basionym: *Echinocereus reichenbachii* var. *albertii*.
- Echinopsis serpentina** M. Lowry & J. M. Mendoza, *CactusWorld* 29(2): 95-99, ills., 2011. Typus: *Mendoza* 3369 (USZ, K, LPB).
- Epithelantha cryptica** D. Donati & Zanollo, *Epithelantha* 2011, 55, ill. (pp. 52-57), 2011. Typus: *Hinton & al.* 29258 (Herb. G. B. Hinton, MEXU).
- Eriosyce napina** ssp. **llanensis** I. Schaub & Keim, *Cactus & Co.* 15(1): 36, 38, ill. (pp. 34-42), 2011. Typus: *Schaub & Keim* s.n. in *SGO* 160015 (SGO).
- Eriosyce napina** ssp. **pajonalensis** I. Schaub & Keim, *Cactus & Co.* 15(1): 47-49, ill. (pp. 44-51), 2011. Typus: *Schaub & Keim* s.n. in *SGO* 159376 (SGO).
- Eriosyce spectabilis** A. E. Hoffmann & H. E. Walter ex Kattermann & al., *Cact. Succ. J.* (Los Angeles) 83(5): 198-201, ill., 2011. Typus: *Acosta* 704 (CONC). [First published as provisional name (*nom. inval.*, Art. 36.1, 37.1) by A. E. Hoffmann & H. E. Walter, *Cact. Fl. Chile*, ed. 2, 236-237, ill. (t. 85), 2005 ('2004') (cf. RPS 56).]
- Eulychnia chorosensis** P. Klaassen, *Cact. Succ. J.* (Los Angeles) 83(4): 172, ill. (pp. 173-175), 2011. Typus: *Ritter* 650 loc. 1 (U 160433B, SGO [status ?], ZSS [seeds only, status ?]). [*Nom. nov. pro Eulychnia acida* var. *procumbens* F. Ritter 1980.]
- Eulychnia taltalensis** (F. Ritter) Hoxey, *Cact. Succ. J.* (Los Angeles) 83(4): 169, ill. (pp. 170-172), 2011. Basionym: *Eulychnia breviflora* var. *taltalensis*.
- Frailea atrobella** Diers & al., *Kakt. and. Sukk.* 62(6): 155-159, ill., 2011. Typus: *Krahn* 1116 (LPB, WU).
- ×**Graeserara** Mordhorst, *Kakt. and. Sukk.* 62(9): 228, 2011. [= *Cleistocactus* × *Echinopsis* × *Haageocereus*.]
- Gymnocalycium** Subgen. **Scabrosemineum** Demain, *Amer. J. Bot.* 98(11): 1849, 2011. Typus: *Echinocactus monvillei* Lemaire.
- Gymnocalycium affine** Repka, *Cact. Succ. J.* (Los Angeles) 82(6): 260-262, ill., 2011. Typus: *Repka* 445 (CORD). [Dated Dec. 2010, received at ZSS Febr. 2011.]
- Gymnocalycium andreae** ssp. **pabloi** Neuhauser, *Gymnocalycium* 24(2): 985-988, ill., 2011. Typus: *Neuhauser* 99-1051/3728 (CORD, WU).
- Gymnocalycium esperanzae** Repka & Kulhánek, *Schütziana* 2(3): 4-6, ill. (pp. 7-19), 2011. Typus: *Repka* 434 (CORD). [Despite the statement in the impressum of the journal that the publication is only available in digital form over the internet, paper printouts have been distributed to various botanical libraries, which make the publication valid under ICBN 29.1.]
- Gymnocalycium oenanthemum** var. **tillianum** (Rausch) Slaba, *Kaktusy* (Brno) 47(2): 44, 2011. Basionym: *Gymnocalycium tillianum*.
- Maihueiniopsis glochidiata** G. Charles, *Cactaceae Syst. Init.* 25: 20, ill. (p. 18), 2011. Typus: *Charles & al.* 407A (K).
- Maihueiniopsis hickenii** (Britton & Rose) D. R. Hunt, *Cactaceae Syst. Init.* 25: 21, ill. (p. 19), 2011. Basionym: *Opuntia hickenii*.
- Maihueiniopsis platyacantha** (Pfeiffer) D. R. Hunt, *Cactaceae Syst. Init.* 25: 24, ill. (pp. 19, 28), 2011. Basionym: *Opuntia platyacantha*.
- Maihueiniopsis reicheana* (Espinosa) Kattermann, *Cact. Succ. J.* (Los Angeles) 83(4): 155, figs. 26-27 (p. 157), 2011. *Nom. inval.* (Art. 33.4), based on *Opuntia reicheana*.
- Mammillaria cielenis** Martínez-Ávalos & al., *Acta Bot. Mex.* 97: 84-86, ill., 2011. Typus: *Martínez-Ávalos* 890 (UAT, ANSM, MEXU, UT).
- Parodia catamarcensis** var. **mesembrina** (F. H. Brandt) Käisinger, *Mitteilungsbl. Inter-Parodia-Kette* 27: 18, ill., 2011. Basionym: *Parodia mesembrina*.
- Parodia lenninghausii** (F. Haage) F. H. Brandt ex Eggli & Hofacker, *Novon* 20(1): 31, 2010. Basionym: *Pilocereus lenninghausii*. [First published invalidly (Art. 33.7(d) by F. H. Brandt, *Kakt. Orch.-Rundschau* 7(4): 61,

1982. Name given with incorrect basionym and bracket author in RPS 61.]
- Peruviopuntia** Guiggi, *Cactology* 2(Suppl.): 1-2, 2011. Typus: *Opuntia pachypus*.
- Peruviopuntia pachypus** (K. Schumann) Guiggi, *Cactology* 2(Suppl.): 2, 2011. Basionym: *Opuntia pachypus*.
- Pilosocereus frewenii** Zappi & N. P. Taylor, *Bradleya* 29: 132, figs. 3-11 (pp. 133-135), 2011. Typus: *Zappi & Taylor* 2208 (SPF, RB).
- Pilosocereus panchesorium** Xhonneux, *Cact.-Avent. Int.* 92: 13-17, ill., 2011. Typus: *Xhonneux* 2840 (COL).
- Punotia** D. R. Hunt, *Cactaceae Syst. Init.* 25: 26, 2011. Typus: *Opuntia lagopus* K. Schumann.
- Punotia lagopus** (K. Schumann) D. R. Hunt, *Cactaceae Syst. Init.* 25: 26, 2011. Basionym: *Opuntia lagopus*.
- Rebutia albidula** Slaba & al., *Kaktusy (Brno)* 47(3): 76-79, ill., 2011. Typus: *Slaba* 12d-99 (PRC).
- Rhipsalis hileibaiana** (N. P. Taylor & Barthlott) N. Korotkova & Barthlott, *Amer. J. Bot.* 98(9): 1565, 2011. Basionym: *Rhipsalis baccifera* ssp. *hileibaiana*.
- Salmiopuntia salmiana** (J. Parmentier ex Pfeiffer) Fric ex Guiggi, *Cactology* 2(1): 2, 2011. Basionym: *Opuntia salmiana*. [First published by Fric in Kreuzinger, *Verzeichn. amerik. Kakt. and. Sukk.*, 41, 1935, when the generic name was not yet validly published.]
- ×*Schickara* Mordhorst, *Kakt. and. Sukk.* 62(9): 228, 2011. *Nom. inval.* (Art. H4.1). [= ×*Cleistochinocana* Licznarski 2009 = *Cleistocactus* × *Echinopsis* × *Matucana*.]
- Schlumbergera lutea** Calvente & Zappi, *Molec. Phylogen. Evol.* 58: 467, 2011. Typus: *Campos-Porto* s.n. (B [fragment]). [*Nom. nov. pro Rhipsalis epiphylloides* Campos-Porto & Werdermann 1935.]
- Schlumbergera lutea** ssp. **bradei** (Campos-Porto & A. Castellanos) Calvente & Zappi, *Molec. Phylogen. Evol.* 58: 467, 2011. Basionym: *Hariota epiphylloides* var. *bradei*.
- Schlumbergera rosea** (Lagerheim) Calvente & Zappi, *Molec. Phylogen. Evol.* 58: 467, 2011. Basionym: *Rhipsalis rosea*.
- Sulcorebutia atrospinosa** J. de Vries, *Succulenta (Netherlands)* 90(1): 11-17, ill., 2011. Typus: *de Vries & van Zomeren* 657 (LPB, WU).
- Sulcorebutia insperata** R. Müller, *Kakt. and. Sukk.* 62(7): 185-186, ill. (pp. 183-189), 2011. Typus: *Müller* 812 (HAL, LPB). [Name first used as provisional name (*nom. inval.*, Art. 36.1, 37.1; cf. RPS 61) in *Echinopseen* 7(1): 26-27, ill., 2010.]
- Sulcorebutia lamprochlora** J. de Vries, *Succulenta (Netherlands)* 90(1): 12, 15-19, ill., 2011. Typus: *de Vries & van Zomeren* 658 (LPB, WU).
- Sulcorebutia sormae** Hertus & al., *Kaktusy (Brno)* 47(1): 31-33, ill., 2011. Typus: *Horáček* 1663 (PRC).
- Sulcorebutia tiraquensis** var. **huanacuniensis** Gertel, *Kakt. and. Sukk.* 62(11): 284-285, ill., 2011. Typus: *Gertel* 183/8 (LPB, ZSS).
- Tacinga subcylindrica** (M. Machado & N. P. Taylor) M. Machado & N. P. Taylor, *Bradleya* 29: 23, 2011. Basionym: *Tacinga inamoena* ssp. *subcylindrica*.
- Tephrocactus recurvatus** (Gilmer & Thomas) D. R. Hunt & Ritz, *Cactaceae Syst. Init.* 25: 27, ill. (p. 29), 2011. Basionym: *Cumulopuntia recurvata*.
- Tephrocactus verschaffeltii** (J. F. Cels ex F. A. C. Weber) D. R. Hunt & Ritz, *Cactaceae Syst. Init.* 25: 27, 2011. Basionym: *Opuntia verschaffeltii*.
- Thelocactus lophothele** ssp. **freudenbergeri** (R. Haas) Matuszweski, *Thelocactus Syst. Wystep.* Uprawa, 184, ill., 2011. Basionym: *Thelocactus rinconensis* var. *freudenbergeri*.
- Thelocactus lophothele** ssp. **hintonii** (J. Lüthy) Matuszweski, *Thelocactus Syst. Wystep.* Uprawa, 177, ill., 2011. Basionym: *Thelocactus rinconensis* ssp. *hintonii*.
- Thelocactus lophothele** ssp. **nidulans** (Quehl) Matuszweski, *Thelocactus Syst. Wystep.* Uprawa, 180, ill., 2011. Basionym: *Echinocactus nidulans*.
- Thelocactus lophothele** ssp. **palomaensis** (Pavlíček & Zatloukal) Matuszweski, *Thelocactus Syst. Wystep.* Uprawa, 188, ill., 2011. Basionym: *Thelocactus rinconensis* ssp. *palomaensis*.
- Thelocactus lophothele** ssp. **rinconensis** (Poselger) Matuszweski, *Thelocactus Syst. Wystep.* Uprawa, 170, ill., 2011. Basionym: *Echinocactus rinconensis*.

- Thelocephala challensis** (I. Schaub & Keim) Faúndez & Saldivia, *Gayana, Bot.* 68(2): 317, 2011. Basionym: *Eriosyce napina* ssp. *challensis*.
- Thelocephala lembckeii** (Kattermann) Faúndez & Saldivia, *Gayana, Bot.* 68(2): 317, 2011. Basionym: *Eriosyce napina* var. *lembckeii*.
- Thelocephala monte-amarguensis** (Kattermann) Faúndez & Saldivia, *Gayana, Bot.* 68(2): 317, 2011. Basionym: *Eriosyce odieri* var. *monte-amargensis*.
- Thelocephala riparia** (Mächler & H. E. Walter) Faúndez & Saldivia, *Gayana, Bot.* 68(2): 317, 2011. Basionym: *Eriosyce napina* ssp. *riparia*.
- Thelocephala weisseri** (A. E. Hoffmann & H. E. Walter) Faúndez & Saldivia, *Gayana, Bot.* 68(2): 317, 2011. Basionym: *Eriosyce odieri* var. *weisseri*.
- Trichopuntia** Guiggi, *Cactology* 2(Suppl.): 2, 2011. Typus: *Opuntia vestita* Salm-Dyck.
- Trichopuntia shaferi** (Britton & Rose) Guiggi, *Cactology* 2(Suppl.): 2, 2011. Basionym: *Opuntia shaferi*.
- Trichopuntia shaferi** ssp. **humahuacana** (Backeberg) Guiggi, *Cactology* 2(Suppl.): 2, 2011. Basionym: *Cylindropuntia humahuacana*.
- Trichopuntia vestita** (Salm-Dyck) Guiggi, *Cactology* 2(Suppl.): 2, 2011. Basionym: *Opuntia vestita*.
- Turbincarpus graminispinus** Matuszewski & al., *Cactus & Co.* 14(4): 21, ills. (pp. 14-31), 2011. Typus: *Hinton* 29084 (Herb. G. B. Hinton). [Volume for 2010, received at ZSS March 2011.]
- Turbincarpus saueri** ssp. **nieblae** (García-Morales & al.) A. Hofer, *Terra Seca* 2011(2): 42, ill., 2011. Basionym: *Turbincarpus nieblae*.
- Weingartia gemmae** ssp. **naunacaensis** (J. de Vries) Gertel, *Echinopseen* 8(2): 58, 2011. Basionym: *Sulcorebutia naunacaensis*.
- Weingartia gemmae** var. **elizabethae** (J. de Vries) Gertel, *Echinopseen* 8(2): 58, 2011. Basionym: *Sulcorebutia elizabethae*.
- Weingartia gemmae** var. **naunacaensis** (J. de Vries) Gertel, *Echinopseen* 8(2): 58, 2011. Basionym: *Sulcorebutia naunacaensis*.
- Weingartia pucarensis** Diers & Jucker, *Kakt. and. Sukk.* 62(5): 129-131, ills., 2011. Typus: *Jucker* 1201 (LPB, WU).

CRASSULACEAE

- Adromischus ×fosteri** J. M. H. Shaw, *Cactus-World* 29(4): 204, ill., 2011. Typus: WSY. [= *Adromischus humilis* × *A. phillipsiae*. Obtained in cultivation.]
- Aeonium arboreum** ssp. **korneliuslemsii** (H. Y. Liu) Dobignard, in Dobignard & Chatelain, *Index Syn. Fl. Afrique* N. 3: 354, 2011. Basionym: *Aeonium korneliuslemsii*.
- Crassula fragarioides** van Jaarsveld & Helme, *Bradleya* 29: 53-54, ills. (pp. 52, 55), 2011. Typus: *Helme* 6109 (NBG, BOL).
- Echeveria aurantiaca** Reyes & al., *Cact. Suc. Mex.* 56(3): 70-71, ills. (pp. 69, 72-74), 2011. Typus: *Reyes* 6012 (MEXU).
- Echeveria gudeliana** Véliz & García-Mendoza, *Cact.-Avent. Int.* 91: 2-5, ills., 2011. Typus: *Véliz* 22564 (BIGU, CAS, F, MEXU, MO).
- Echeveria guerrerensis** Reyes & al., *Cact. Suc. Mex.* 56(3): 78-79, ills. (pp. 76-77, 80-81), 2011. Typus: *Salazar* 7478 (MEXU).
- Echeveria novogaliciana** Reyes & al., *Cact. Suc. Mex.* 56(3): 89-91, ills. (pp. 84-85, 88-89, 92), 2011. Typus: *Reyes & al.* 5184 (MEXU).
- Echeveria purhepecha** I. García, *Revista Mex. Biodivers.* 82(1): 63-64, ills. (pp. 66-67), 2011. Typus: *García & Machuca* 4491 (IEB, CIMI, ENCB, MEXU, MICH).
- Jovibarba globifera** var. **lagariniana** (Gallo) Hadrava & P. Horáček, *Cactaceae etc.* 21(2): 75, ills., 2011. Basionym: *Jovibarba globifera* ssp. *lagariniana*. [Doubtfully valid as the basionym page reference is only given in the cited literature, but conforming to ICBN Art. 33.4 Note 1. Concurrently also published in *SempPress* 2011: 3-4, 2011.]
- Rhodiola** Sect. **Crassipedes** (Praeger) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., *Crassulaceae India*, 92, 2011. Basionym: *Sedum* Ser. *Crassipedes*.
- Rhodiola feiyongii** H. Ohba & al., *J. Jap. Bot.* 86(2): 100-103, figs. 5-6, 2011. Typus: *Wu & al.* 5009 (KUN, TI).
- Rhodiola fushuhsiae** H. Ohba & al., *J. Jap. Bot.* 86(2): 105-107, figs. 8-9, 2011. Typus: *Wu & al.* 1835 (KUN, TI).
- Rhodiola kunlunica** H. Ohba & al., *J. Jap. Bot.* 86(2): 96, figs. 1-2, 2011. Typus: *Wu* 1977 (KUN, TI).



- Rhodiola saxicola** H. Ohba & al., J. Jap. Bot. 86(2): 107-109, figs. 10-11, 2011. Typus: Wu & al. 2076 (KUN, TI).
- Sedum** Sect. **Bracteata** (Fröderström) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 244, 2011. Basionym: *Sedum* group *Bracteata*.
- Sedum* Sect. **Chamaetelephium** (Fröderström) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 247, 2011. *Nom. illeg.* (Art. 52.1). [Sphalm. 'Chamae-telephium'. Illegitimate because *Sedum* Sect. *Populisedum* A. Berger 1930 is included as synonym.]
- Sedum* Sect. **Japonica** (Maximowicz) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 254, 2011. *Nom. inval.* (Art. 33.4). [The name used as basionym is itself a combination and this is here corrected, together with the bracket author citation. The combination remains invalid under Art. 33, Ex. 20.]
- Sedum** Sect. **Perpusilla** (Fröderström) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 220-221, 2011. Basionym: *Sedum* subgroup *Perpusilla*.
- Sedum** Sect. **Roborowskia** (Fröderström) N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 236, 2011. Basionym: *Sedum* subgroup *Roborowskia*.
- Sedum* Subgen. **Kyphocarpia** N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 241-242, 2011. *Nom. illeg.* (Art. 52.1). [Based on *Sedum* Sect. *Asiatica Genuina Kyphocarpia* Fröderström 1931, but illegitimate since *Sedum* Subgen. *Aizoon* is cited in the synonymy.]
- Sedum* Subgen. **Orthocarpia** N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 208, 2011. *Nom. illeg.* (Art. 52.1). [Based on *Sedum* Sect. *Asiatica Genuina Orthocarpia* Fröderström 1931, but illegitimate since *Sedum* Subgen. *Oreades* and *Sedum* Subgen. *Sedum* are cited in the synonymy.]
- Sedum beauverdii** ssp. **vietnamense** (V. V. Byalt) J. M. H. Shaw, Plantsman, n.s., 10(4): 237, 2011. Basionym: *Sedum vietnamense*.
- Sedum pedicellatum* N. B. Singh & U. C. Bhattacharyya, in N. B. Singh & al., Crassulaceae India, 230-231, t. 43 (p. 233), 2011. Based on Pant & Naithani 39603. *Nom. illeg.* (Art. 53.1). [Non *Sedum pedicellatum* Boissier & Reuter 1842.]
- Sedum plumbizincicola* L.-H. Wu & al., Soils 38(5): 632-633, 2006. *Nom. inval.* (Art. 36.1). [Omitted previously.]
- Sedum salazarii** Reyes & González Zorzano, Cact. Succ. J. (Los Angeles) 83(5): 237, ills. (pp. 236-239), 2011. Typus: Salazar & al. 7432 (MEXU).
- Sedum villosum* ssp. **pentandrum** (Boreau) Alexandre & al., Flora Montiber. 49: 83, 2011. *Nom. inval.* (Art. 33.4). [Given as new combination for *Sedum pentandrum* Boreau 1849 fide IPNI (accessed Aug. 2012), but this name is already a combination.]
- Sempervivum davisii** ssp. **furseorum** (Muirhead) F. Karaer, Nordic J. Bot. 29(1): 51, 2011. Basionym: *Sempervivum furseorum*.
- Sempervivum globiferum** ssp. **glabrescens** (Sabransky) M. Werner, Avonia 28(4): 130, 2011. Basionym: *Sempervivum hirtum* fa. *glabrescens*. [Volume for 2010, published Feb. 2011.]
- Sempervivum globiferum** ssp. **preissianum** (Domin) M. Werner, Avonia 28(4): 191, 2011. Basionym: *Sempervivum preissianum*. [Volume for 2010, published Feb. 2011.]
- Sempervivum globiferum** var. **hillebrandtii** (Schott) M. Werner, Avonia 28(4): 130, 2011. Basionym: *Sempervivum hillebrandtii*. [Volume for 2010, published Feb. 2011.]
- Sempervivum montanum* fa. **grande** P. Horáček, SempPress 2011: 7, ills., 2011. *Nom. inval.* (Art. 36.1, 37.1). [Sphalm. 'grandum'.]
- Tylecodon opelii** van Jaarsveld & S. A. Hammer, Cact. Succ. J. (Los Angeles) 83(4): 140-143, ills., 2011. Typus: van Jaarsveld 22751 (NBG).
- Tylecodon paniculatus** ssp. **glaucus** van Jaarsveld, Aloe 48(4): 93-95, ills., 2011. Typus: van Jaarsveld & Swanepoel 21098 (WIND).
- Vauanthes** Sect. **Dinacria** (Harvey) V. V. Byalt, Novosti Sist. Vyssh. Rast. 42: 171, 2011. Basionym: *Dinacria*.
- Vauanthes depressa** (Ecklon & Zeyher) V. V. Byalt, Novosti Sist. Vyssh. Rast. 42: 170, 2011. Basionym: *Grammanthes depressa*.
- Vauanthes filiformis** (Ecklon & Zeyher) V. V. Byalt, Novosti Sist. Vyssh. Rast. 42: 171, 2011. Basionym: *Grammanthes filiformis*.

**Vauanthes grammanthoides** (Schönland) V. V. Byalt, Novosti Sist. Vyssh. Rast. 42: 171, 2011. Basionym: *Dinacria grammanthoides*.

**Vauanthes sebaeoides** Byalt & Fedor, Novosti Sist. Vyssh. Rast. 40: 330, 2008. Basionym: *Grammanthes sebaeoides*. [Omitted previously, cited from Byalt, Novosti Sist. Vyssh. Rast. 42: 171, 2011.]

### CUCURBITACEAE

**Ampeliscyos bosseri** (Keraudren) H. Schaefer & S. S. Renner, Taxon 60(1): 133, 2011. Basionym: *Odosicyos bosseri*.

**Cucumis** Sect. **Cucumella** (Chioenda) H. Schaefer, Blumea 52: 170, 2007. Basionym: *Cucumella*. [Omitted previously.]

**Cucumis** Subgen. **Humifructus** H. Schaefer, Blumea 52: 167, 2007. Typus: *Cucumis humifructus* Stent. *Nom. nov. pro Cucumis* Ser. *Humifructosi* J. H. Kirkbride 1993. Omitted previously.

**Cucumis bryoniifolius** (Merxmüller) Ghebretinsae & Thulin, Novon 17(2): 177 [20. June], 2007. Basionym: *Hymenosicyos bryoniifolius*. [Combination repeated by H. Schaefer, Blumea 52(1): 170 [4. July 2007]. Omitted previously.]

**Momordiceae** H. Schaefer & S. S. Renner, Taxon 60(1): 130, 2011. Typus: *Momordica* Linné.

**Thladiantheae** H. Schaefer & S. S. Renner, Taxon 60(1): 130, 2011. Typus: *Thladiantha* Bunge.

*Xerosicyos hirtellus* (Humbert) H. Schaefer & S. S. Renner, Taxon 60(1): 135, 2011. *Nom. inval.*, based on *Zygosicyos hirtellus*, *nom. inval.* (Art. 34.1b).

**Xerosicyos tripartitus** (Humbert) H. Schaefer & S. S. Renner, Taxon 60(1): 135, 2011. Basionym: *Zygosicyos tripartitus*.

### ERIOSPERMACEAE

**Eriospermum strachaniae** van Jaarsveld, Aloe 48(3): 52-53, ills., 2011. Typus: *van Jaarsveld & al.* 21045 (WIND).

### EUPHORBIACEAE

**Euphorbia polygona** var. **nivea** D. H. Schnabel, Euphorbia World 7(1): 25-26, ills. (pp. 20, 23-24, 26), 2011. Typus: *Schnabel* 1 (GRA).

### GERANIACEAE

**Pelargonium elandsmontanum** E. M. Marais ex J. C. Manning & Goldblatt, S. African J. Bot. 77(1): 242, ills., 2011. Typus: *Manning* 3210 (NBG, MO).

### GESNERIACEAE

**Primulina carnosifolia** (C. Y. Wu & H. W. Li) Y. Z. Wang, J. Syst. Evol. 49(1): 60-61, 2011. Basionym: *Chirita carnosifolia*.

**Primulina dryas** (Dunn) Mich. Möller & A. Weber, Taxon 60(3): 782, 2011. Basionym: *Chirita dryas*.

**Primulina maguanensis** (Z. Yu Li & al.) Mich. Möller & A. Weber, Taxon 60(3): 783, 2011. Basionym: *Chirita maguanensis*.

*Primulina sinensis* (Lindley) Y. Z. Wang, J. Syst. Evol. 49(1): 62, 2011. *Nom. illeg.* (Art. 53.1), based on *Chirita sinensis*. [*Non Primulina sinensis* Hooker fil. 1890.]

### HYACINTHACEAE

**Albuca gariepensis** J. C. Manning & Goldblatt, Bothalia 41(2): 315-317, ills., 2011. Typus: *Manning* 3294 (NBG, MO, PRE).

**Albuca lebaensis** (van Jaarsveld) J. C. Manning & Goldblatt, Bothalia 41(2): 297, 2011. Basionym: *Ornithogalum lebaense*.

**Eliokarmos geniculatus** (Obermeyer) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 29, 2011. Basionym: *Ornithogalum geniculatum*.

**Eliokarmos naviculus** (F. W. Barker ex Obermeyer) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 29, 2011. Basionym: *Ornithogalum naviculum*.

- Eliokarmos neomaculatus** Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 29, 2011. [*Nom. nov. pro Ornithogalum maculatum* Jacquin 1791 (*non Eliokarmos maculatus* Rafinesque 1837).]
- Nicipe capillifolia** (Fourcade) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 31, 2011. Basionym: *Ornithogalum capillifolium*.
- Nicipe comptonii** (F. M. Leighton) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 31, 2011. Basionym: *Ornithogalum comptonii*.
- Nicipe filifolia** (Thunberg) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 31, 2011. Basionym: *Anthericum filifolium*.
- Nicipe juncifolia** (Jacquin) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 32, 2011. Basionym: *Ornithogalum juncifolium*.
- Nicipe petraea** (Fourcade) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 32, 2011. Basionym: *Ornithogalum petraeum*.
- Nicipe sardienii** (van Jaarsveld) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 32, 2011. Basionym: *Ornithogalum sardienii*.
- Nicipe tortuosa** (Baker) Martínez-Azorín & al., Ann. Bot. (Oxford), n.s. 107: 32, 2011. Basionym: *Ornithogalum tortuosum*.

### MONTIACEAE

- Calandrinia flava** Obbens, Nuytsia 21(1): 2-4, ills., 2011. Typus: *Obbens & Newman* 56/08 (PERTH, CANB).
- Calandrinia pentavalvis** Obbens, Nuytsia 21(1): 9-12, ills., 2011. Typus: *Obbens & Bromilow* 16/04 (PERTH).
- Calandrinia sculpta** Obbens & J. G. West, Nuytsia 21(1): 12-15, ills., 2011. Typus: *Obbens* 64/03 (PERTH, CANB, MEL).
- Calandrinia tholiformis** Obbens, Nuytsia 21(1): 6-8, ills., 2011. Typus: *Obbens* 24/03 (PERTH, CANB, MEL).
- Calandrinia vernicosa** Obbens, Nuytsia 21(1): 15-18, ills., 2011. Typus: *Obbens & al.* 04/08 (PERTH [2 sheets], CANB).
- Phemeranthus piedmontanus** Ware, J. Bot. Res. Inst. Texas 5(1): 2-3, ills., 2011. Typus: *Ludwig* 5051 (UNC, NY, VDB, WILLI).

### PIPERACEAE

- Peperomia ayacuchoana** Pino & Samain, Pl. Ecol. Evol. 144: 155-156, ills., 2011. Typus: *Samain & al.* 2009-040 (USM, BR, GENT).
- Peperomia cerrateae** Pino & G. Mathieu, Pl. Ecol. Evol. 144: 156-157, ills., 2011. Typus: *Cerrate & al.* 4436 (USM).
- Peperomia gigantea** G. Mathieu, Pl. Ecol. Evol. 144: 158-159, ills., 2011. Typus: *Mathieu & Symmank* 2009-158 (USM, BR, GENT).
- Peperomia jalcaensis** Pino, Pl. Ecol. Evol. 144: 159-160, ills., 2011. Typus: *Pino* 663 (USM).
- Peperomia klopfensteinii** Pino & Cieza, Pl. Ecol. Evol. 144: 160-161, ills., 2011. Typus: *Klopfenstein* RRP-343 (USM).
- Peperomia lilliputiana** (Pino & Cieza) Pino, Pl. Ecol. Evol. 144: 162, 2011. Basionym: *Peperomia macrorrhiza* var. *lilliputiana*.
- Peperomia ocoresensis** G. Mathieu & Pino, Pl. Ecol. Evol. 144: 162-163, ills., 2011. Typus: *Mathieu & al.* 2009-042 (USM, BR, GEN, K, MO).
- Peperomia parvisagittata** G. Mathieu & Pino, Pl. Ecol. Evol. 144: 162-164, ills., 2011. Typus: *Mathieu & Symmank* 2009-020 (USM, BR, GENT).
- Peperomia pseudoperuviana** (Pino) Pino, Pl. Ecol. Evol. 144: 165, 2011. Basionym: *Peperomia andina* var. *pseudoperuviana*.
- Peperomia pseudoverruculosa** G. Mathieu, Pl. Ecol. Evol. 144: 165-166, ills., 2011. Typus: *Samain & al.* 2009-052 (USM, BR, GENT).
- Peperomia pugnicaudex** Pino, Pl. Ecol. Evol. 144: 167-168, ills., 2011. Typus: *Pino* 792 (USM).
- Peperomia purpureonervosa** G. Mathieu, Pl. Ecol. Evol. 144: 168-169, ills., 2011. Typus: *Symmank & al.* 2008-051 (BR, GENT, LPB, MO).
- Peperomia querocochana** G. Mathieu & Pino, Pl. Ecol. Evol. 144: 168-170, ills., 2011. Typus: *Mathieu & Symmank* 2009-017a (USM, BR, GENT, MO).
- Peperomia radiatinervosa** G. Mathieu, Pl. Ecol. Evol. 144: 171-172, ills., 2011. Typus: *Samain & al.* 2008-090 (BR, G, GENT, K, LPB, MO).
- Peperomia umbrosa** G. Mathieu, Pl. Ecol. Evol. 144: 172-173, ills., 2011. Typus: *Mathieu & al.* 2009-122 (USM, BR, GENT).

**Peperomia wernerrauhii** Pino & Samain, Pl. Ecol. Evol. 144: 172-174, ill., 2011. Typus: *Samain & al.* 2009-214 (USM, BR, GENT).

### PORTULACACEAE

**Portulaca daninii** Galasso & al., Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 152(2): 96, 2011. Typus: *Klug* 1214 (US). [*Nom. nov. pro Portulaca oleracea* ssp. *tuberculata* Danin & H. G. Baker 1979.]

### RUSCACEAE

**Dasyllirion** Sect. **Glaucophyllum** Hochstätter, *Piante Grasse* 30(1): 28, 2011. Typus: *Dasyllirion glaucophyllum* Hooker.

**Dasyllirion occidentale** Bogler *ex* Hochstätter, *Piante Grasse* 30(1): 28, ill. (p. 27), 2011. Typus: *Bogler* 790 (TEX, MEXU).

**Dasyllirion treleasei** (Bogler) Hochstätter, *Piante Grasse* 30(1): 28, ill. (p. 27), 2011. Basionym: *Dasyllirion longissimum* var. *treleasei*.

### VITACEAE

**Cyphostemma mendesii** F. Sousa, *Phytotaxa* 7: 36, 2010. Typus: *Mendes* 1145 (LISC). [Omitted previously.]

## BIBLIOGRAPHIA

- [1] **Afferni, M. (2011)** Considerazioni su *Sedum dasyphyllum* L. var. *adenocladum* Burnat. *Piante Grasse* 31(1): 31-33, ills.
- [2] **Aguilar-Morales, G., Martínez-Peralta, C., Feria-Arroyo, T. P., Golubov, J. & Mandujano, M. C. (2011)** Distribución geográfica del género *Ariocarpus* Scheidweiler (*Cactaceae*). *Cact. Suc. Mex.* 56(2): 49-63, ills., maps.
- [3] **Anderson, E. F. & Egli, U. (ed.) (2011)** Das grosse Kakteen-Lexikon. Stuttgart (GE): Ulmer. 2. Ed.; 744 pp., ills. [Slightly revised second edition; originally published 2005.]
- [4] **Ang, W.-J. (2011)** *Sedum oreades*? *Newslett. Sedum Soc.* 97: 58, ills. (incl. front cover).
- [5] **Ang, W.-J. (2011)** Another species from Yunnan. *Newslett. Sedum Soc.* 98: 74-76, ill. [On *Sedum dimorphophyllum* cf.]
- [6] **Appenzeller, O., Linzen, T. & Lutz, E. (2011)** Feldliste Eberhard Lutz 1986 bis 2010. Zweite, stark erweiterte Auflage. Burgstädt (GE): Arbeitskreis für Mammillarienfreunde e.V. 96 pp., ills.
- [7] **Aquino García, D. A. & Salvador, A. (2010)** Cactáceas del Distrito de Nochixtlán, Oaxaca, México. *Cact. Suc. Mex.* 55(3): 68-84, ills., maps. [Omitted previously.]
- [8] **Aragane, M., Sasaki, Y., Nakajima, J., Fukumori, N., Yoshizawa, M., Suzuki, Y., Kitagawa, S., Mori, K., Ogino, S., Yasuda, I. & Nagumo, S. (2011)** Peyote identification on the basis of differences in morphology, mescaline content, and *trnL/trnF* sequence between *Lophophora williamsii* and *L. diffusa*. *J. Nat. Med.* 65(1): 103-110, ills.
- [9] **Arakaki, M., Christin, P.-A., Nyffeler, R., Lendel, A., Egli, U., Ogburn, R. M., Spriggs, E., Moore, M. J. & Edwards, E. J. (2011)** Contemporaneous and recent radiations of the world's major succulent plant lineages. *Proc. Natl. Acad. Sci. U.S.A.* 108(20): 8379-8384.
- [10] **Arthur, C. & Wagner, D. R. (2011)** The oldest *Cheiridopsis*. *Mesemb Study Group Bull.* 26(1): 2-4, ills.
- [11] **Bárceñas, R. T., Yesson, C. & Hawkins, J. A. (2011)** Molecular systematics of the *Cactaceae*. *Cladistics* 27: 1-20.
- [12] **Barres, L., Vilatersana, R., Molero, J., Susanna, A. & Galbany-Casals, M. (2011)** Molecular phylogeny of *Euphorbia* subg. *Esula* Sect. *Aphyllis* (*Euphorbiaceae*) inferred from nrDNA and cpDNA markers with biogeographic insights. *Taxon* 60(3): 705-720, ills., maps.
- [13] **Basiuk, V. A. (2011)** Spines growing outside areoles in a *Gymnocalycium vatterii* specimen. *Cact. Succ. J. (Los Angeles)* 83(5): 196-197, ills.
- [14] **Bauer, D. & Waechter, J. L. (2011)** Padrões geográficos de cactáceas epifíticas no Rio Grande do Sul, Brasil. *Pesq., Bot.* 62: 239-251, maps.
- [15] **Bauer, R. (2011)** *Epiphyllum grandilobum* (F. A. C. Weber) Britton & Rose. *EPIG* 67: 21-26, ills.
- [16] **Bauer, R. (2011)** *Disocactus macdougalii* (Alexander) Barthlott. *EPIG* 67: 27-33, ills.
- [17] **Baues, W. (2011)** Weissblühende *Echinocereus rigidissimus* aus dem Süden Arizonas. *Echinocereenfreund* 24(1): 22-24, ills.
- [18] **Baues, W. (2011)** *Echinocereus*-Hybriden im Otero County, New Mexico. *Echinocereenfreund* 24(3): 74-82, ills.
- [19] **Bayer, M. B. (2011)** 2010 variants in *Haaworthia*. *Alsterworthia Int.* 11(1): 5-21, ills.
- [20] **Bayer, M. B. (2011)** Taxonomy – the tax on me. *Haworthiad* 25(3): 59-67, ills.
- [21] **Becker, R. W. & Moller, A. (2011)** *Euphorbia leistneri* R. H. Archer from the Kaoko-veld in northern Namibia. *Euphorbia World* 6 (3): 18-20, ills. [Dated Dec. 2010, received at ZSS Feb. 2011.]
- [22] **Becker, R. W., Moller, A. & Veldhuisen, R. van (2011)** About sticks and pencils (part 4): *Euphorbia spinea* N. E. Br. *Euphorbia World* 7 (2): 12-13, ills.
- [23] **Békefi, J. (2011)** [Hungarian:] Candles of the Andes – Part I.: *Esposoa melanosteles* subsp. *melanostele*. *Kaktusz Világ* 35(4): 140-148, ills.
- [24] **Bercht, L. (2011)** Het geslacht *Gymnocalycium* – een overzicht (XII) / (XIII) / (XIV) / (XV) / (XVI) / (XVII). *Succulenta (Nether-*

lands) 90(1): 27-33, (2): 58-65, (3): 138-140, (4): 185-189, (5): 210-217, (6): 278-282, ills. [Continued from l.c. 89(6), 2010, continuing in l.c. 91(2), 2012.]

[25] **Berka, L. (2011)** [Czech:] *Frailea tenuissima* n.n. – a name without valid description. Kaktusy (Brno) 47(3): 69-71, ills.

[26] **Berresford, P. (2011)** The search for the Graybeard Cactus – encounters with *Echinocereus viridiflorus* var. *canus*. CactusWorld 29(3): 133-140, ills.

[27] **Berresford, P. (2011)** The Black Lace Cactus – an evaluation. CactusWorld 29(4): 185-194, ills., map. [On the distribution of *Echinocereus fitchii* ssp. *albertii* in S Texas.]

[28] **Berruti, S. M. & Bester, S. P. (2011)** A northeastern range extension of *Orbea cooperi* (N. E. Br.) L. C. Leach. Asklepios 111: 17-24, ills., map.

[29] **Berthold, W. (2011)** An Mammillarien-Standorten im mexikanischen Bundesstaat Veracruz. / *Mammillaria* localities in the Mexican Federal State of Veracruz. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(3): 130-142, ills.

[30] **Bester, S. P. & Berruti, S. M. (2011)** Notes on African plants. *Apocynaceae* (*Asclepiadoideae* – *Ceropegieae*). First records of *Orbea cooperi* in Gauteng and Mpumalanga Provinces, FSA region. Bothalia 41(2): 295-297, map.

[31] **Biko'o, A. A., Plessis, D. G. C. du & Myburgh, W. J. (2011)** Population size, structure and habitat features of *Haworthia koelmaniorum* var. *mcmurtryi*, an endemic plant from Mpumalanga Province, South Africa. Koedoe 53(1): 1-8, ill., map.

[32] **Bischofberger, M. (2011)** Investigation: *Echeveria sanchez-mejoradae* E. Walther. Cact.-Avent. Int. 90: 29-32, ills.

[33] **Bischofberger, M. (2011)** *Pachyphytum fittkaii*. Newslett. Sedum Soc. 97: 54-55, ills.

[34] **Bischofberger, M. (2011)** *Hylotelephium* cultivars and hybrids. Newslett. Sedum Soc. 98: 88-91.

[35] **Bischofberger, M. (2011)** *×Sedeveria* – checklist. Newslett. Sedum Soc. 99: 18-23, ills.

[36] **Böhm, G. & Böhm, G. (2011)** Beobach-

tungen am Standort. *E.[chinocereus] viridiflorus* var. *canus* – wachsen die Pflanzen wirklich nur auf Novaculit? Echinocereenfreund 24(4): 106-108, ills.

[37] **Böhm, G. & Böhm, G. (2011)** *Echinocereus dasyacanthus* ssp. *rectispinus* aus Texas? Echinocereenfreund 24(4): 110-111, ills.

[38] **Böhm, G. & Böhm, G. (2011)** Ein neuer Standort von *Escobaria hesteri* Wright. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(1): 58-61, ills.

[39] **Bonnefond, J. (2011)** *Echinocereus viridiflorus* ssp. *davisii*, comté de Brewster, Texas. Terra Seca 2011(4): 14-21, ills. [Included for the illustrations (incl. fruits).]

[40] **Borland, A. M., Barrera Zambrano, V. A., Ceusters, J. & Shorrocks, K. (2011)** The photosynthetic plasticity of Crassulacean Acid Metabolism: An evolutionary innovation for sustainable productivity in a changing world. New Phytol. 191(3): 619-633.

[41] **Breuer, I. (2011)** The genus *Haworthia*. Book 2, part 1 / part 2. St. Michaels on Wyre (GB): Alsterworthia International. 181 pp., ills., maps.

[42] **Brockington, S. F., Walker, R. H., Glover, B. J., Soltis, P. S. & Soltis, D. E. (2011)** Complex pigment evolution in the *Caryophyllales*. New Phytol. 190(4): 854-864, ills.

[43] **Brummitt, R. K. (2011)** Report of the Nomenclature Committee for Vascular Plants: 62. Taxon 60(1): 226-232. [Includes data on the nomenclature of *Sedum rupestre* Linné.]

[44] **Brummitt, R. K. (2011)** Report of the Nomenclature Committee for Vascular Plants: 63. Taxon 60(4): 1202-1210. [Includes data on *Eriosepermum*.]

[45] **Bruyns, P. V. (2011)** A new species of *Sarcostemma* (*Apocynaceae*–*Asclepiadoideae*–*Asclepiadeae*) from Yemen. S. African J. Bot. 77: 801-804, ills., key. [Includes a key to *Sarcostemma* spp. from the Arabian Peninsula and Socotra.]

[46] **Bruyns, P. V., Klak, C. & Hanáček, P. (2011)** Age and diversity in Old World succulent species of *Euphorbia* (*Euphorbiaceae*). Taxon 60(6): 1717-1733.

[47] **Burgoyne, P. M. (2011)** *Frithia humilis* –

notes on the leaf characters of various populations. *Aloe* 48(2): 41, ills.

[48] **Busch, L. (2011)** Die gelbblütigen Digito-rebutien. Teil 5: HJ 118. *Echinopsean* 8(2): 79-80, ills.

[49] **Butler, A. (2012)** *Sansevieria powellii*, species or hybrid? Dr Horst Pfennig's experiments. *Sansevieria* 26: 7-18, ills.

[50] **Butterworth, C. A. (2011)** Isolation and characterization of 10 polymorphic microsatellite loci in *Coryphantha robustispina* ssp. *robustispina*. *Conservation Genet.* 3(2): 247-249.

[51] **Byalt, V. V. (2011)** The taxonomical review of South African genus *Vauanthes* Haw. (*Crassulaceae*). *Novosti Sist. Vyssh. Rast.* 42: 166-173, key.

[52] **Byalt, V. V. (2011)** Russian: The adventive species of *Crassulaceae*. *Russ. Zhurn. Biol. Invaz.* 2: 28-34. [English version: *Russ. J. Biol. Invas.* 2(2-3): 155-157, 2011.]

[53] **Calvente, A., Zappi, D. C., Forest, F. & Lohmann, L. G. (2011)** Molecular phylogeny, evolution, and biogeography of South American epiphytic cacti. *Int. J. Pl. Sci.* 172(7): 902-914, ills., keys.

[54] **Calvente, A., Zappi, D. C., Forest, F. & Lohmann, L. G. (2011)** Molecular phylogeny of tribe *Rhipsalideae* (*Cactaceae*) and taxonomic implications for *Schlumbergera* and *Hattiora*. *Molec. Phylogen. Evol.* 58: 456-468, ills.

[55] **Carlswald, B. S., Judd, W. S., Soltis, D. E., Manchester, S. & Soltis, P. S. (2011)** Putative morphological synapomorphies of *Saxifragales* and their major subclades. *J. Bot. Res. Inst. Texas* 5(1): 176-196.

[56] **Carrillo-Angeles, I. G., Golubov, J., Milligan, B. G. & Mandujano, M. C. (2011)** Spatial distribution pattern of a clonal species: Effects of differential production of clonal and sexual offspring. *Evol. Ecol.* 25(6): 1357-1383. [On *Opuntia microdasys*.]

[57] **Carrillo-Angeles, I. G., Mandujano, M. C. & Golubov, J. (2011)** Influences of the genetic neighborhood on ramet reproductive success in a clonal desert cactus. *Populat. Ecol.* 53: 449-458. [On *Ferocactus robustus*.]

[58] **Carter, S., Lavranos, J. J., Newton, L. E. & Walker, C. C. (2011)** Aloes. The definitive

guide. Richmond (GB): Kew Publishing. 720 pp., ills., keys.

[59] **Cascante Marín, A. (2011)** La biología reproductiva de un cactus epífita y endémico de Costa Rica (*Epiphyllum cartagense*, *Cactaceae*). *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 8(2): 4-5, ills.

[60] **Cassimiro de Lemos, R. C. & Melo-de-Pinna, G. F. de A. (2011)** Morpho-anatomical variations during stem development in some epiphytic *Cactaceae*. *J. Torrey Bot. Soc.* 138(1): 16-25, ills.

[61] **Castillon, J.-B. & Castillon, J.-P. (2011)** Les *Aloe* de Madagascar. The *Aloe* of Madagascar. Addendum No. 1, 2010-2011. Étang-Salé (FR): published by the authors. 20 pp., ills. [E-publication.]

[62] **Charles, G. (2011)** Now we know where *P.[y]gmaeocereus* *bieblii* grows. *Cact. Explorer* 1: 25-27, ills.; 2: 23 [erratum].

[63] **Charles, G. (2011)** Recent new descriptions. Exciting new Matucanas from Peru. *Cact. Explorer* 1: 8-11, ills.

[64] **Cházaro-Basáñez, M. de J., Narave-Flores, H. & Vázquez-Ramírez, J. (2011)** Noteworthy sedums from Veracruz: *Sedum obcordatum* (*Crassulaceae*). *CactusWorld* 29(4): 205-209, ills.

[65] **Cházaro-Basáñez, M. de J. & Mostul, B. L. (2011)** *Euphorbia pteroneura* Berger. *Bouteloua* 8: 13-16, ills. [Repeated in *Quepo* 25: 71-77, ills., 2011.]

[66] **Cházaro-Basáñez, M. de J., Jimeno-Sevilla, D. & Alvalat-Botana, A. (2011)** The *Sedum morganianum* habitat discovered. *CactusWorld* 29(1): 13-18, ills. [Spanish version in *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 8(1): 8-11, ills., 2011; German translation in *Avonia News* 2011(11): 4-8, ills., 2011.]

[67] **Chen, I. & Manchester, S. R. (2011)** Seed morphology of *Vitaceae*. *Int. J. Pl. Sci.* 172(1): 1-35, ills.

[68] **Cieza Padilla, N. (2011)** *Matucana intertexta*: Distribution and variability. *Cact.-Avent. Int.* 89: 13-19, ills.

[69] **Cisneros, A., Benega Garcia, R. & Tel-Zur, N. (2011)** Ovule morphology, embryogenesis and seed development in three *Hylocereus*

species (*Cactaceae*). Flora (Jena) 206(12): 1074-1084, ills.

[70] **Coetzer, L. A., Wyk, A. E. van & Buitendag, E. (2011)** *Tylosema fassogense*. Fl. Pl. Africa 62: 70-79, t. 2271, map.

[71] **Cole, D. & Cole, N. (2011)** Bicentenary of the discovery of Burchell's *Lithops*. Mesemb Study Group Bull. 26(3): 55-57, ills.

[72] **Coombs, G., Dold, A. P. & Peter, C. I. (2011)** Generalized fly-pollination in *Ceropegia ampliata* (*Apocynaceae* – *Asclepiadoideae*): The role of trapping hairs in pollen export and receipt. Pl. Syst. Evol. 296(1-2): 137-148, ills.

[73] **Costanzo, M. (2011)** Il giallo del semprevivo giallo. The mystery of the yellow houseleek. Cactus & Co. 15(2): 4-21, ills., map.

[74] **Craib, C. & Lavranos, J. (2011)** The bushman candles. Bryanston (ZA): Penrock Publications. xiv + 194 pp., ills., maps, key.

[75] **Crouch, N. R. & Smith, G. F. (2011)** Notes on African plants. *Agavaceae*. *Furcraea foetida*: An invading alien in South Africa. Botalia 41(1): 196-199, ills., map.

[76] **Crouch, N. R., Smith, G. F. & Condy, G. (2011)** *Aloe nicholsii*. Fl. Pl. Africa 62: 16-21, t. 2263, map.

[77] **Cuni Sanchez, A., Smedt, S. de, Haq, N. & Samson, R. (2011)** Comparative study on baobab fruit morphological variation between western and south-eastern Africa: Opportunities for domestication. Genetic Resources Crop Evol. 58: 1143-1156.

[78] **Daly, D. C., Harley, M. M., Martínez-Habibe, M.-C. & Weeks, A. (2011)** *Burseraceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, 10: 76-104, ills., key. Heidelberg (GE) etc.: Springer.

[79] **Danin, A. (2011)** *Portulacaceae*. In: Greuter, W. & Raab-Straube, E. von (eds.): Euro+Med Notulae, 5. Willdenowia 41(1): 131-134.

[80] **Davis, T. J. (2011)** Phenotypic variation in inflorescences of *Fouquieria burragei* (*Fouquieriaceae*). Cact. Succ. J. (Los Angeles) 83(2): 61-66, ills.

[81] **Deaves, L. (2011)** Redheads and apricots: R-sports and R-forms in *Lithops*. Mesemb Study Group Bull. 26(3): 58-60, ills. [On red-

and orange-bodied colour forms of *Lithops* spp.]

[82] **Delanoy, G. & Richaud, P. (2011)** *Melocactus deinacanthus* Buining & Brederoo, 1973 dans son habitat. Cact. Succ. 3(1): 20-24, ills. [Included for the illustrations.]

[83] **Delbart, E., Monty, A. & Mahy, G. (2011)** Gestion de *Crassula helmsii* en Belgique plus difficile qu'il n'y paraît? Bull. O.E.P.P. 41 (2): 226-231, ills., map.

[84] **Delgado-Sánchez, P., Ortega-Amaro, M. A., Jiménez-Bremont, J. F. & Flores, J. (2011)** Are fungi important for breaking seed dormancy in desert species? Experimental evidence in *Opuntia streptacantha* (*Cactaceae*). Pl. Biol. (Stuttgart) 13: 154-159.

[85] **Deli, T. & Barna, J. (2011)** [Hungarian:] The Cape Floral Kingdom, part VII. *Conophytum obcordellum*. Kaktusz Vilag 34(6): 230-237, ills. [Dated 2010, received Feb. 2011.]

[86] **Demaio, P. H., Barfuss, M. H. J., Kiesling, R., Till, W. & Chiappella, J. O. (2011)** Molecular phylogeny of *Gymnocalycium* (*Cactaceae*): Assessment of alternative infrageneric systems, a new subgenus, and trends in the evolution of the genus. Amer. J. Bot. 98(11): 1841-1854.

[87] **Dettke, G. A. & Milaneze-Gutierrez, M. A. (2008)** Anatomia caulinar de espécies epífitas de *Cactaceae*, subfamília *Cactoideae*. Hoehnea 35: 583-595. [Omitted previously.]

[88] **Diers, L. (2011)** Ergänzende Ausführungen zur Beschreibung der *Lobivia kuehnrichii* var. *antennifera* Rausch var. nov. Echinopseer 8(2): 47-52, SEM-ills.

[89] **Dimitrijevic, D., Sinzar-Sekulic, J., Randalovic, V. & Lakusic, D. (2011)** The nature of the variability of the morphological characteristics of the taxon *Jovibarba heuffelii* (Schott) A. Löve & D. Löve (*Crassulaceae*) in Serbia. Biol. Nyssana 2(1): 7-18, map.

[90] **Disadee, W., Mahidol, C., Sahakitpichan, P., Sitthimonchai, S., Ruchirawat, S. & Kanchanapoom, T. (2011)** Flavonol 3-O-robinobiosides and 3-O-(2'-O-(alpha)-rhamnopyranosyl)-robinobiosides from *Sesuvium portulacastrum*. Tetrahedron 67(23): 4221-4226.

[91] **Dobignard, A. & Chatelain, C. (2011)** Index Synonymique de la Flore d'Afrique du



Nord, Volume 2: Dicotyledonae, *Acanthaceae* à *Asteraceae*. Genève (CH): Conservatoire et Jardin Botaniques de la Ville de Genève. [This volume includes the *Aizoaceae* and *Apocynaceae*.]

[92] **Donati, D. (2011)** Nuovo studio sul gruppo *clavata* del genere *Corynopuntia* Knuth: Riscoperta di *C. agglomerata* Knuth e descrizione di *C. bulbispina* subsp. *basileocephala* D. Donati subsp. nov. *Piante Grasse* 31(1): 2-17, ills., map.

[93] **Donati, D. & Zanovello, C. (2011)** *Epithelantha* 2011. Villazzano (IT): Associazione Cactus Trentino Südtirol. 64 pp., ills., maps, key. [Concurrently published in an Italian and an English edition.]

[94] **Donati, D. & Zanovello, C. (2011)** *Echinocactus*. *Piante Grasse* 31(1: Suppl.): 1-86, ills., maps. [Simultaneously published in an Italian and an English edition.]

[95] **Dorsey, A. E. & Wilson, P. (2011)** Rarity as a life-history correlate in *Dudleya* (*Crassulaceae*). *Amer. J. Bot.* 98(7): 1104-1112.

[96] **Dortort, F. (2011)** The Timber Press guide to succulent plants of the world. A comprehensive reference to more than 2000 species. Portland (US) / London (GB): Timber Press. 344 pp., ills., map.

[97] **Dosedal, U. (2011)** An den Standorten von *Echinocereus fitchii* ssp. *bergmannii*. *Echinoce-reenfreund* 24(4): 91-105, ills., map. [Included for the illustrations.]

[98] **Duarte, M. C., Esteves, G. L., Salatino, M. L. F., Walsh, K. C. & Baum, D. A. (2011)** Phylogenetic analyses of *Eriotheca* and related genera (*Bombacoideae*, *Malvaceae*). *Syst. Bot.* 36(3): 690-701.

[99] **Duffy, K. J. & Johnson, S. D. (2011)** Effects of pollen reward removal on fecundity in a self-incompatible hermaphrodite plant. *Pl. Biol. (Stuttgart)* 13(3): 556-560, ills. [On *Aloe maculata*.]

[100] **Dupont, L. M., Linder, H. P., Rommerskirchen, F. & Schefuss, E. (2011)** Climate-driven rampant speciation of the Cape flora. *J. Biogeogr.* 38(6): 1059-1068, ills., map.

[101] **Earle, R. (2011)** Predation by armoured ground cricket on a population of *Lithops*

*karasmontana* ssp. *eberlanzii* in habitat. *Mesemb Study Group Bull.* 26(3): 71-73, ills.

[102] **Earle, R. (2011)** Observations at a *Lithops karasmontana* ssp. *bella* population in habitat. *Mesemb Study Group Bull.* 26(4): 79-83, ills.

[103] **Ebrahim, I. (2011)** Three *Aspalathus* species rediscovered by CREW. *Veld. Fl.* (1975+) 97(2): 55, ills. [Includes mention of *Othonna membranifolia*.]

[104] **Eichler, M. (2011)** Die Parödienfunde von Dietrich Herzog (1). *Mitteilungsbl. Inter-Parodia-Kette* 27: 3-5, ills.

[105] **Erdelská, O. & Stintzing, F. (2011)** Phytochemical and morphological evaluation of flowers and fruits from *Epiphyllum* hybrids during development. *Biologia (Bratislava)* 66(5): 821-827, ills.

[106] **Eskander, J., Lavaud, C. & Harakat, D. (2011)** Steroidal saponins from the leaves of *Beaucarnea recurvata*. *Phytochemistry* 72(9): 946-951.

[107] **Eslamieh, J. (2011)** Cultivation of *Boswellia*, sacred trees of frankincense. Phoenix (US): A Book's Mind. viii + 196 pp., ills. [Included for the illustrations.]

[108] **Eslamieh, J. & Stead, J. (2011)** The heterosis of *Operculicarya*. *Cact. Succ. J. (Los Angeles)* 82(6): 244-251, ills. [Issue for Dec. 2010, received at ZSS Feb. 2011.]

[109] **Ettelt, J. (2011)** *Rhodiola rosea* auf Island. *Avonia* 29(2): 83-84, ills.

[110] **Ettelt, J. (2011)** Arten der Gattung *Peperomia* in Nordperu. *Kakt. and. Sukk.* 62(10): 267-274, ills.

[111] **Ettelt, J., Schröder, C. N. & Wittner, H. (2011)** Charakterpflanze der Täler: *Armatocereus rauhii*. *Kakt. and. Sukk.* 62(7): 174-181, ills.

[112] **Etter, J. & Kristen, M. (2011)** Note su / Notes on *Agave impressa*. *Cactus & Co.* 15(2): 42-59, ills., map.

[113] **Fearn, B. (2011)** Observations on the genus *Lithops*. *CactusWorld* 29(1): 31-38, ills.

[114] **Felix, D. & Blum, W. (2011)** *Echinocereus*. Die *parkeri*-Gruppe. Rhauderfehn (GE): Arbeitsgruppe Echinocereus der Deutschen

Kakteen-Gesellschaft e.V. 144 pp., ills., map. [= Echinocereenfreund 24, Sonderausgabe 2011.]

[115] **Felix, D., Goris, M., Goris, R. & Siebold, K. (2011)** Mexiko 2010 ... eine Reise mit vielen Überraschungen – Teil 1. Zwei bisher unbekannt Standorte von *Echinocereus knippe-lianus* ssp. *reyesii*. Echinocereenfreund 24(1): 4-21, ills.

[116] **Fencl, O. (2011)** [Czech:] *Echinomastus erectocentrus* (J. M. Coult.) Britton & Rose var. *acuensis* (W. T. Marshall) Bravo. Kaktusy (Brno) 47(4): 111-114, ills., map. [Included for the habitat illustrations.]

[117] **Ferrer, M., Durán, R., Méndez, M., Dorantes, A. & Dzib, G. (2011)** Dinámica poblacional de genets y ramets de *Mammillaria gaumeri*, cactácea endémica de Yucatán. Bol. Soc. Bot. México 89: 83-105, ills., map.

[118] **Fickenscher, K. (2011)** Neues (?) zu *Rebutia minuscula*. Echinopseen 8(1): 43-44, ills.

[119] **Figueiredo, E. & Smith, G. F. (2011)** Who's in a name: Eponymy of the name *Aloe thompsoniae* Groenew., with notes on naming species after people. Bradleya 29: 121-124.

[120] **Figueredo, C. J. & Nassar, J. M. (2011)** Population genetics of *Agave cocui*: Evidence for low genetic diversity at the southern geographic limit of genus *Agave*. J. Heredity 102: 306-314.

[121] **Figueredo, C. J., Villegas, J. L. & Nassar, J. M. (2011)** Sincronía reproductiva inter-poblacional de *Agave cocui* (Agavaceae) en Venezuela. Revista Biol. Trop. 59(3): 1359-1370.

[122] **Figueroa-Castro, D. M. & Valverde, P. L. (2011)** Flower orientation in *Pachycereus weberi* (Cactaceae): Effects on ovule production, seed production and seed weight. J. Arid Environm. 75(11): 1214-1217.

[123] **Flatz, R., Yoder, J. B., Lee-Barnes, E. & Smith, C. I. (2011)** Characterization of micro-satellite loci in *Yucca brevifolia* (Agavaceae) and cross-amplification in related species. Amer. J. Bot. 98: e67-e69.

[124] **Flores Martínez, A. & Manzanero Medina, G. I. (2010)** El género *Mammillaria* en Oaxaca: Relación entre filogenia y la distribución geográfica. Cact. Suc. Mex. 55(4): 100-111,

ills. [Omitted previously.]

[125] **Flores Monter, Y. N., Reyna Trujillo, T. de J., Cervantes Ramírez, M. C. & Luna Morales, C. del C. (2011)** Distribución geográfica y potencial de *Stenocereus pruinosus* y *Stenocereus stellatus* (Cactaceae) en la Mixteca Poblana, México. Cact. Suc. Mex. 56(1): 4-20, ills., maps.

[126] **Flores, J., Jurado, E., Chapa-Vargas, L., Ceroni-Stuva, A., Dávila-Aranda, P., Galíndez, G., Gurvich, D., León-Lobos, P., Ordoñez, C., Ortega-Baes, P., Ramírez-Bullón, N., Sandoval, A., Seal, C. E., Ullian, T. & Pritchard, H. W. (2011)** Seeds photoblastism and its relationship with some plant traits in 136 cacti taxa. Environm. Exp. Bot. 71: 79-88.

[127] **Frajman, B. & Schönswetter, P. (2011)** Giants and dwarfs: Molecular phylogenies reveal multiple origins of annual spurges within *Euphorbia* subg. *Esula*. Molec. Phylog. Evol. 61(2): 413-424.

[128] **Fritz, G. (2011)** New sighting of *Orbea tapscottii* near Devon, Gauteng. Aloe 48(1): 12-14, ills.

[129] **Fritz, G. (2011)** The *Delosperma* species in Gauteng. Aloe 48(2): 34-37, ills. [German translation with additional illustrations in Avonia News 2012(5): 6-13, ills., 2012.]

[130] **Fritz, G. (2011)** Some interesting succulents at Oribi Gorge, KwaZulu-Natal South Coast. Aloe 48(3): 60-63, ills.

[131] **Fritz, G. (2011)** *Euphorbia woodii* N. E. Br., a seaboard endemic of KwaZulu-Natal and the Eastern Cape. Aloe 48(4): 76-77, ills.

[132] **Fritz, G. (2011)** Species of Mesembs in southern Gauteng. Mesemb Study Group Bull. 26(2): 27-32, ills.

[133] **Gapon, V. (2011)** Notes on *Gymnocalycium gaponii* Neuhuber. CactusWorld 29(1): 19-26, ills., map.

[134] **Gapon, V. & Schelkunova, N. (2011)** Auf der Suche nach *Gymnocalycium papschii* H. Till. Gymnocalycium 24(3): 991-1006, ills.; (4): xiii [erratum].

[135] **García Naranjo Ortiz de la Huerta, A. & Mandujano, M. del C. (2010)** Patrón de distribución espacial y nodricismo del peyote

(*Lophophora williamsii*) en Cuatrociénegas, México. *Cact. Suc. Mex.* 55(2): 36-55, ills. [Omitted previously.]

[136] **García, M. E. & Slanis, A. C. (2010)** Morfología polínica de las especies argentinas de los géneros *Talinum* (*Talinaceae*) y *Pheimeranthus* (*Montiaceae*). *Lilloa* 47(1-2): 66-73, ills. [Omitted previously.]

[137] **García-Mendoza, A. J. (2011)** Flora del Valle de Tehuacán-Cuicatlán. 88. *Agavaceae*. Mexico (MX): Instituto de Biología, UNAM. 95 pp., ills., keys.

[138] **Gerloff, N. (2011)** Die Formen von *Notocactus graessneri* (K. Schumann) Berger ex Krainz. *Internoto* 32(1): 18-24, ills.

[139] **Gerloff, N. (2011)** *Notocactus buiningii* (Buxbaum) F. Ritter im Frühling. *Internoto* 32(1): 3-10, ills.

[140] **Gerloff, N. (2011)** Bemerkungen zur Abgrenzung von *Notocactus submammosus* (Lemaire) Berger ex Backeberg. *Internoto* 32(4): 99-104, ills., map.

[141] **Gertel, W. (2011)** Die Sulcorebutien des Mojococoya-Beckens. *Echinopseer* 8(2): 52-58, ills.

[142] **Gertel, W. & Latin, W. (2011)** Kompendium der Feldnummern der Gattung *Sulcorebutia*. Ingelheim (GE): Published by the authors. Ed. 7; 123 pp., ills.

[143] **Gildenhuis, S. (2011)** Aloes of the "Transvaal". *Aloe* 47(3): 72-82, ills. [Volume for 2010, received at ZSS Feb. 2011.]

[144] **Goldblatt, P. & Manning, J. C. (2011)** A review of chromosome cytology in *Hyacinthaceae* subfamily *Ornithogalioidae* (*Albuca*, *Dipcadi*, *Ornithogalum* and *Pseudogaltonia*) in sub-Saharan Africa. *S. African J. Bot.* 77(3): 581-591.

[145] **Golubov, J., Martínez-Valenzuela, P. A., Durán Campos, E. J. & Martínez Cervantes, Y. (2010)** Distribución espacial y nodricismo en *Mammillaria carnea* en el municipio de Valerio Trujano, Cuicatlán, Oaxaca. *Cact. Suc. Mex.* 55(2): 56-64, ills. [Omitted previously.]

[146] **Gontcharova, S. B. & Beluha, A. G. (2011)** *Crassulaceae* (Dickblattgewächse) Sibiriens und des Fernen Ostens Russlands: *Orostachys*. *Avonia* 29(1): 34-42, ills., map. [English

version: l.c. pp. viii-xi.]

[147] **González-Elizondo, M. S., González-Elizondo, M., López-Enríquez, I. L., Reséndiz-Rojas, L., Tena-Flores, J. A. & Retana-Rentería, F. L. (2011)** El complejo *Agave victoriae-reginae* (*Agavaceae*). *Acta Bot. Mex.* 95: 65-94, ills., maps, key.

[148] **Gorelick, R. (2011)** *Ferocactus hamat-acanthus* at Big Bend. *CactusWorld* 29(4): 211-216, ills. [Included for the illustrations.]

[149] **Grace, O. M., Klopper, R. R., Figueiredo, E. & Smith, G. F. (2011)** The *Aloe* names book. Pretoria (ZA): South African National Biodiversity Institute / Richmond (GB): Royal Botanic Gardens, Kew. viii + 232 pp., ills. [An update and some corrections were published by Smith & al., *Bradleya* 29: 179-181, 2011.]

[150] **Grätz, S. (2011)** *Edithcolea grandis* N. E. Br. am Standort in Kenia. *Caralluma* 13(1): 17-19, ills.

[151] **Gratias, J. (2011)** [Czech:] *Bulbine bulbosa* – Caudiciform grass from the Antipodes in Australia. *Cactaceae etc.* 21(4): 134, ills. [Included for the illustrations.]

[152] **Gratias, J. & Nosek, J. (2011)** Pestujeme Euforbie. Praha (CZ): Vydalo Nakladatelství Brázda. 152 pp. + 32 col. pl. + CD-ROM.

[153] **Grayer, R. J., Eckert, M. R., Lever, A., Veitch, N. C., Kite, G. C. & Paton, A. J. (2010)** Distribution of exudate flavonoids in the genus *Plectranthus*. *Biochem. Syst. Ecol.* 38(3): 335-341. [Omitted previously.]

[154] **Green, D. & Green, T. (2011)** Will the real *Hoya paziae* please stand up? *Fraterna* 24(3): 4-8, ills.

[155] **Green, T. (2011)** Designation of a neotype for a species of *Hoya* from Sumatra. *Hoya cystiantha* Schlechter. *Asklepios* 111: 27-28, ills.

[156] **Green, T. (2011)** Will the real *Hoya vitellinoides* please stand up? *Fraterna* 24(4): 32-36, ills.

[157] **Grenier, F. (2011)** The valley of Mysteries ... or the history of an unexpected *Tylecodon* ... *Int. Cact.-Advent.* 92: 24-27, ills. [On *Tylecodon hirtifolius* [sphalm. 'hirtiflorus'] cf.]

[158] **Greulich, M. (2011)** Am Standort von

*Mammillaria rhodantha* ssp. *pringlei* (J. M. Coult.) D. R. Hunt. Berliner Kakt.-Blätt. 11: 3-6, ills.

[159] **Groot, S. J. de (2011)** Collecting and processing cacti into herbarium specimens, using ethanol and other methods. Syst. Bot. 36(4): 981-989, ills.

[160] **Guerrero, P. C., Alves-Burgos, L., Peña-Gómez, F. T. & Bustamante, R. O. (2011)** Positive photoblastic response of seed germination in *Eriosyce* Subgen. *Neoporteria* (Britton & Rose) Helmut Walter (*Cactaceae*). Gayana, Bot. 68(1): 110-113.

[161] **Guerrero, P. C., Arroyo, M. T. K., Bustamante, R. O., Duarte, M., Hagemann, T. K. & Walter, H. E. (2011)** Phylogenetics and predictive distribution modeling provide insights into the geographic divergence of *Eriosyce* Subgen. *Neoporteria* (*Cactaceae*). Pl. Syst. Evol. 297: 113-128, maps.

[162] **Guerrero, P. C., Durán, A. P. & Walter, H. E. (2011)** Latitudinal and altitudinal patterns of the endemic cacti from the Atacama Desert to Mediterranean Chile. J. Arid Environm. 75: 991-997.

[163] **Guiggi, A. (2011)** Genera nova et combinationes novae in Cactaceis Austroamericanis ad Subfamiliam *Opuntioideae* K. Schumann spectantibus. Cactology 2(Suppl.): 1-4, ills.

[164] **Guisinger, M. M., Kuehl, J. V., Boore, J. L. & Jansen, R. K. (2011)** Extreme reconfiguration of plastid genomes in the Angiosperm family *Geraniaceae*: Rearrangements, repeats and codon usage. Molec. Biol. Evol. 28(1): 583-600.

[165] **Hand, R. (ed.) (2011)** Supplementary notes to the flora of Cyprus VII. Willdenowia 41(2): 341-355. [*Crassulaceae*: p. 345.]

[166] **Hargreaves, B. J. (2011)** *Aloe globuligemma* Pole Evans in Botswana. Alsterworthia Int. 11(1): 22-23, ills.

[167] **Hargreaves, B. J. (2011)** *Aloe lutescens* Groenewald in Botswana. Alsterworthia Int. 11(3): 7-8, ills.

[168] **Hargreaves, B. J. (2011)** A Tanzanian *Euphorbia* from South Africa? Euphorbia World 6(3): 22-25, ills.

[169] **Harpke, D. & Peterson, A. (2011)**

Molekulare Systematik und Taxonomie in der Gattung *Mammillaria*. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(1): 2-11, ills.

[170] **Harrington, M. J., Razghandi, K., Ditsch, F., Guiducci, L., Rueggeberg, M., Dunlop, J. W. C., Fratzl, P., Neinhuis, C. & Burgert, I. (2011)** Origami-like unfolding of hydro-actuated ice plant seed capsules. Nature Commun. 2: Article 337, 7 pp.

[171] **Hartmann, H. E. K. & Roux, A. Le (2011)** *Drosanthemum* subgenus *Speciosa* (*Aizoaceae*): Towards a revision of the plants with black staminodes. Bradleya 29: 143-178, ills.

[172] **Hartmann, H. E. K. (2011)** The identity of *Drosanthemum micans* (*Aizoaceae*). Bradleya 29: 1-12, ills.

[173] **Hartmann, H. E. K., Meve, U. & Lieke-Schumann, S. (2011)** Towards a revision of *Triantha*, the Cinderella of *Aizoaceae*. Pl. Ecol. Evol. 144(2): 177-213, ills., key, maps.

[174] **Harvey, T. S. & Lavranos, J. J. (2011)** *Aloe argenticauda* & *Aloe pachygaster*. Two vegetatively similar *Aloe* species from the winter rainfall highlands of southern Namibia. Cact. Succ. J. (Los Angeles) 83(1): 43-46, ills.

[175] **Harvey, T. S. & Lavranos, J. J. (2011)** Unusual *Cyphostemma* (*Vitaceae*) in Namibia: Natural hybrids or a new species? Cact. Succ. J. (Los Angeles) 83(2): 80-85, ills.

[176] **Hayashi, M. (2011)** Varieties of *H.[aworthia] splendens*. Haworthia Study 24: 2-7, ills. [Dated Dec. 2010, received at ZSS Feb. 2011.]

[177] **Hayashi, M. (2011)** [*Haworthia*] *Maxima* section. Haworthia Study 24: 8-20, ills. [Dated Dec. 2010, received at ZSS Feb. 2011. Many seemingly invalid series names, not further listed in this database.]

[178] **Hechem, V., Calviño, C. I. & Ezcurra, C. (2011)** Molecular phylogeny of *Diplolepis* (*Apocynaceae* – *Asclepiadoideae*) and allied genera, and taxonomic implications. Taxon 60(3): 638-648, key.

[179] **Heim, A. (2011)** *Yucca linearifolia*, eine für Mitteleuropa vielversprechende stammbildende Art. Avonia 29(3): 95-102, ills.

[180] **Heiss, B. & Hübner, F. (2011)** *Monolluma solenophora* Lavranos – eine etwas andere Asclepsblüte. Caralluma 13(2): 52-56, ills.

- [181] **Helsen, P., Verdyck, P. & Dongen, S. van (2011)** The influence of historical geneflow, bathymetry and distribution patterns on the population genetics of morphologically diverse Galápagos' *Opuntia echios*. *J. Molec. Evol.* 72 (3): 315-325, map.
- [182] **Henssen, H. (2011)** Ein *Notocactus mammosus* (Lem.) A. Berger ex Backeb. mit mehrfarbiger Blüte – FS 549. *Internoto* 32(2): 47-48, ills.
- [183] **Hernández, H. M. & Gómez-Hinostroza, C. (2011)** Mapping the cacti of Mexico. Milborne Port (GB): dh books. 128 pp., ills., maps. [= Succulent Plant Research, 7.]
- [184] **Hernández-Hernández, T., Hernández, H. M., De-Nova, J. A., Puente, R., Eguiarte, L. E. & Magallón, S. (2011)** Phylogenetic relationships and evolution of growth form in *Cactaceae* (Caryophyllales, Eudicotyledoneae). *Amer. J. Bot.* 98(1): 44-61.
- [185] **Hochstätter, F. (2011)** *Dasyliirion* Zucc. (*Nolinaceae*). Revisione del genere [parte 1] / le specie [parte 2]. *Piante Grasse* 31(1): 25-30, (3): 106-122, ills., key.
- [186] **Hochstätter, F. (2011)** Die Gattung *Hesperaloe*. *Kaktusblüte* 2011: 52-61, ills.
- [187] **Hodgson, W., Salywon, A. & Reveal, J. L. (2011)** (2021) Proposal to reject the name *Echinocactus acanthodes* (*Cactaceae*). *Taxon* 60(3): 910.
- [188] **Hofacker, A. (2011)** *Rhipsalis aurea* M. F. Freitas & J. M. A. Braga – eine bemerkenswerte neue Art aus Brasilien. *EPIG* 68: 21-25, ills.
- [189] **Hofacker, A. (2011)** *Parodia lenninghausii* am Fundort in Südbrasilien. *Kakt. and. Sukk.* 62(3): 57-63, ills.
- [190] **Hofacker, A. (2011)** Der seltsame Binsenkaktus *Rhipsalis paradoxa* – eine kulturwürdige Art aus Brasilien. *Kakt. and. Sukk.* 62(8): 202-206, ills.
- [191] **Hofer, A. (2011)** Les *Turbinicarpus*, joyaux rares du Mexique / (2) / (3) / (4). *Terra Seca* 2011(1): 4-23, (2): 26-45, (3): 18-27, (4): 28-47, ills., map.
- [192] **Hofmann, B. (2011)** *Ariocarpus kotschoubeyanus* subsp. *elephantidens*. *Kakt. and. Sukk.* 62(3): 66-70, ills.
- [193] **Hofmann, B. (2011)** *Ferocactus latispinus* und seine Unterarten in der Natur. *Kakt. and. Sukk.* 62(6): 141-148, ills. [Included for the illustrations depicting variability. Partial Russian translation in *Kakt. Tolko* 2011(3): 26-30, ills., 2011.]
- [194] **Hofmann, B. (2011)** *Coryphantha cornifera* und *Coryphantha radians*. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 35(3): 184-187, ills.
- [195] **Holstein, N. & Renner, S. S. (2011)** A dated phylogeny and collection records reveal repeated biome shifts in the African genus *Coccinia* (*Cucurbitaceae*). *BMC Evol. Biol.* 11: Paper 28; 16 pp., maps.
- [196] **Hou, Y. & Lou, A. (2011)** Population genetic diversity and structure of a naturally isolated plant species, *Rhodiola dumulosa* (*Crassulaceae*). *PLoS One* 6(9): e24497, 10 pp., map.
- [197] **Hübner, F. & Tränkle, U. (2011)** *Hoodia mossamedensis* (L. C. Leach) Plowes – die fast Vergessene. *Caralluma* 13(3): 74-80, ills., map.
- [198] **Hüttel, F. (2011)** Euphorbien in Rajasthan (Indien). *Avonia-News* 2011(7): 13-16, ills. [Included for the illustrations.]
- [199] **Hughes, F. M., Cruz Rot, M. de la, Lisboa Romão, R. & Siqueira de Castro, M. (2011)** Dinâmica espaço-temporal de *Melocactus ernestii* subsp. *ernestii* (*Cactaceae*) no Nordeste do Brasil. *Revista Brasil. Bot.* 34(3): 389-402.
- [200] **Hunt, D. R. (2011)** Classification of the 'cylindroid' opuntias of South America. *Cactaceae Syst. Init.* 25: 5-6.
- [201] **Hunt, D. R. (2011)** Focus on the *Supertextae*. *Huitzilopochtli* 6: 47-51, ills. [On Lau collections of species of *Mammillaria* Ser. *Supertextae*.]
- [202] **Hunt, D. R. (ed.) (2011)** NCL updates etc. *Cactaceae Syst. Init.* 25: 7-29, ills.
- [203] **Jaarsveld, E. J. van (2011)** *Aloe tongaensis*, a new species from Tongaland, KwaZulu-Natal (South Africa), and a new sectional arrangement of the tree aloes. *Aloe* 47(3): 64-71, ills., map. [Volume for 2010, received at ZSS Feb. 2011.]
- [204] **Jaarsveld, E. J. van (2011)** *Esterhuyensia grahambeckii*, a new rare species in the

*Aizoaceae* (*Mesembryanthema*, *Ruschoideae*) from the Rooiberg, Western Cape, South Africa. *Bradleya* 29: 43-50, ills., key. [Includes a key to and illustrations of all species of the genus.]

[205] **Jaarsveld, E. J. van** (2011) The tree aloes of southern and eastern Africa. *Cact. Succ. J.* (Los Angeles) 83(1): 9-21, ills.

[206] **Jaarsveld, E. J. van, Wyk, A. E. van & Loedolff, J.** (2011) *Jensenobotrya lossowiana*. *Fl. Pl. Africa* 62: 64-69, t. 2270, map.

[207] **Janda, J.** (2011) *Pachyphytum viride* E. Walther. *Kaktusy* (Brno) 47(3): 88-90, ills. [Included for the illustrations.]

[208] **Janeba, Z.** (2011) Recent new descriptions. A new species of the genus *Strombocactus*, *S. correjidorae* S. Arias et E. Sánchez. *Cact. Explorer* 2: 11-13, ills.

[209] **Janeba, Z.** (2011) Visiting *Pediocactus knowltonii* in the field. *CactusWorld* 29(1): 9-12, ills.

[210] **Janeba, Z.** (2011) A new jewel in the genus *Turbincarpus*: *Turbincarpus graminispinus* G. F. Matuszewski, V. Mysák & Z. Jiruse. *CactusWorld* 29(2): 65-68, ills.

[211] **Janeba, Z.** (2011) Further notes on *Acharagma huasteca*. *CactusWorld* 29(3): 170-172, ills.

[212] **Janke, S.** (2011) *Anacampseros kurtzii* oder doch nur *Grahamia vulcanensis*? Beobachtungen unterwegs in der Nähe von Camargo – Zentralbolivien. *Avonia* 29(2): 62-66, ills.

[213] **Jaramillo, P. & Atkinson, R.** (2011) Evaluating genetic diversity for the conservation of the threatened Galapagos endemic *Calandrinia galapagosa* (*Portulacaceae*). *Biotropica* 43 (3): 386-392, map.

[214] **Jaramillo, P., Trigo, M. M., Ramírez, E. & Mauchamp, A.** (2010) Insect pollinators of *Jasminocereus thouarsii*, an endemic cactus of the Galapagos Islands. *Galapagos Res.* 67: 21-25, ills. [Omitted previously.]

[215] **Jeelani, S. M., Kumari, S. & Gupta, R. C.** (2011) In: Marhold, K. & Breitwieser, I. (eds.): IAPT/IOPB chromosome data 12. *Taxon* 60(6): 1788-1789. [Includes chromosome counts for 2 spp. of *Sedum*.]

[216] **Jezek, J.** (2011) [Czech:] *Sempervivum*

*andreaenum*. *SempPress* 2011: 18-21, ills.

[217] **Jezeck, J.** (2011) [Czech:] Some information about the original locality of *Sempervivum kindingeri*. *SempPress* 2011: 8-9, maps, ill.

[218] **Kadar, C.** (2011) *Notocactus langsdorffii* var. *longispinus* (F. Ritter) N. Gerloff in zwei unterschiedlichen Gelbtönen. *Internoto* 32(2): 49-51, ills.

[219] **Käsinger, F.** (2011) *Parodia catamarcensis* Backeberg. *Mitteilungsbl. Inter-Parodia-Kette* 27: 9-25, ills., maps.

[220] **Kapitany, A.** (2011) Succulent orchids. When is an orchid also a succulent? Orchidee succulente. Quando un'orchidea é anche una succulenta? *Cactus & Co.* 15(1): 18-33.

[221] **Kapitany, A.** (2011) Bottle-trees and Boabs in Australia. Alberi a fiasco e baobab in Australia. *Cactus & Co.* 15(3): 4-36, ills., maps.

[222] **Karuppusamy, S.** (2011) Notes on the Stapeliad genus *Boucerosia* (*Asclepiadaceae*) of South Peninsular India. *Aloe* 48(1): 18-22, ills.

[223] **Kattermann, F.** (2011) Observations of the Chilean *Opuntioideae*. Part III, *Maihueniopsis*. *Cact. Succ. J.* (Los Angeles) 83(4): 150-162, ills., map.

[224] **Kattermann, F.** (2011) Observations of the Chilean *Opuntioideae*. Part IV, *Miquelopuntia* [sic!]. *Cact. Succ. J.* (Los Angeles) 83(5): 211-213, ills., map.

[225] **Keeler, K. H. & Tenhumberg, B.** (2011) Population dynamics of the western prickly pear, *Opuntia macrorhiza* (*Cactaceae*). *S.W. Naturalist* 56(2): 147-153.

[226] **Kellner, A., Ritz, C. M., Schlittenhardt, P. & Hellwig, F. H.** (2011) Genetic differentiation in the genus *Lithops* L. [sic!] (*Ruschioideae*, *Aizoaceae*) reveals a high level of convergent evolution and reflects geographic distribution. *Pl. Biol.* (Stuttgart) 13(2): 368-380, ills., map.

[227] **Kemble, B.** (2011) The speckled Aloes. *Cact. Succ. J.* (Los Angeles) 83(1): 39-42, ills. [On *Aloe microstigma*.]

[228] **Kiesling, R., Saravia, M., Oakley, L., Muruaga, N., Metzging, D. & Novara, L.** (2011) Flora del Valle de Lerma (Salta, Argentina), Fasc. 10(7): *Cactaceae*. Salta (RA):

Herbario MCNS, Universidad Nacional de Salta. 104 pp., ills. [= Aportes Botánicos de Salta, Serie Flora.]

[229] **Kleinmichel, N. (2011)** *Pelargonium quarciticola* und sein Habitat in der nördlichen Knersvlake [sic!]. *Avonia* 29(3): 111-116, ills.

[230] **Kleinmichel, N. (2011)** *Tromotriche umdausensis* (Nel) Bryuns [sic!]. *Caralluma* 13(2): 43-44, ills.

[231] **Klopper, R. R., Grace, O. M., Smith, G. F. & Figueiredo, E. (2011)** Reinstatement of *Aloe graciliflora* Groenew. (*Asphodelaceae*), a maculate *Aloe* from north-east South Africa. *Bradleya* 29: 125-130, ills., map.

[232] **Köllner, G. (2011)** Der Formenkreis um *Lobivia cinnabarina*. *Echinopseen* 8(1): 27-36, ills. map.

[233] **Kolm, L. & Newton, L. E. (2011)** Phenotype variation of *Aloe lateritia* var. *graminicola*. *Haworthiad* 25(1): 18-21, ills.

[234] **Koopman, M. M. (2011)** A synopsis of the Malagasy endemic genus *Megistostegium* Hochr. (*Hibisceae, Malvaceae*). *Adansonia*, n.s. [ser. 3], 33(1): 101-113, ills., map, key.

[235] **Korn, R. W. (2011)** Window patterns in *Lithops*. *Int. J. Pl. Sci.* 172(9): 1101-1109, ills.

[236] **Korotkova, N., Borsch, T., Quandt, D., Taylor, N. P., Müller, K. F. & Barthlott, W. (2011)** What does it take to resolve relationships and to identify species with molecular markers? An example from the epiphytic *Rhipsalideae* (*Cactaceae*). *Amer. J. Bot.* 98(9): 1549-1572.

[237] **Kozieradzka-Kiszkurno, M., Bartosz, J. P. & Bohdanowicz, J. (2011)** Are unusual plasmodesmata in the embryo-suspensor restricted to species from the genus *Sedum* among *Crassulaceae*? *Flora (Jena)* 206(7): 684-690, ills.

[238] **Kozieradzka-Kiszkurno, M., Swierczynska, J. & Bohdanowicz, J. (2011)** Embryogenesis in *Sedum acre* L.: Structural and immunocytochemical aspects of suspensor development. *Protoplasma* 248(4): 775-784, ills.

[239] **Kozyrenko, M. M., Gontcharova, S. B. & Gontcharov, A. A. (2011)** Analysis of the genetic structure of *Rhodiola rosea* (*Crassulaceae*) using inter-simple sequence repeat (ISSR) polymorphisms. *Flora (Jena)* 206(8): 691-696,

map.

[240] **Ku, Y.-B., Kyung, H., Chun, Y. J. & Cho, K.-H. (2011)** High genetic differentiation in endangered *Sedum ussuriense* and implications for its conservation in Korea. *J. Pl. Biol.* 54(4): 262-268, map.

[241] **Kulhánek, T. (2011)** *Gymnocalycium berchtii* species-group: Part one – *G. berchtii* Neuhuber. *Schütziana* 2(1): 5-28, maps, ills.

[242] **Kulhánek, T. (2011)** *Gymnocalycium berchtii* species-group: Part two – *G. nataliae* Neuhuber. *Schütziana* 2(2): 3-26, ills., maps.

[243] **Kumar, S., Kumari, S. & Gupta, R. C. (2011)** In: Marhold, K. & Breitwieser, I. (eds.): IAPT/IOPB chromosome data 12. *Taxon* 60(6): 1789-1790. [Includes chromosome count for *Sedum multicaule*.]

[244] **Kunte, L. (2011)** [Czech:] Two little known Euphorbias from Baja California. *Kaktusy (Brno)* 47(2): 49-50, ills. [On *Euphorbia misera* and *E. xanti*.]

[245] **Lang, A. (2011)** *Ceropegia konasita* Masinde. *Caralluma* 13(1): 14-16, ills.

[246] **Lang, A. (2011)** *Ceropegia sankuruensis* Schltr. *Caralluma* 13(2): 45-47, ills.

[247] **Lange, P. J. de, Rolfe, J. R. & Townsend, A. J. (2011)** *Crassula natans* var. *minus* (*Crassulaceae*) a new trans-Tasman natural weed arrival to northern New Zealand. *New Zealand J. Bot.* 49(3): 361-366, ills., map.

[248] **Langel, D., Ober, D. & Pelsner, P. B. (2011)** The evolution of pyrrolizidine alkaloid biosynthesis and diversity in the *Senecioneae*. *Phytochem. Rev.* 10(1): 3-74.

[249] **Larrea-Alcázar, D. M. & López, R. P. (2011)** Pollination biology of *Oreocereus celsianus* (*Cactaceae*), a columnar cactus inhabiting the high subtropical Andes. *Pl. Syst. Evol.* 295: 129-137.

[250] **László, K. (2011)** A *Mammillaria luethyi*. *Debreceni Pozsgás-Tár* 14(1): 17-23, ills., SEM-ills. [Includes detail illustrations of the spines.]

[251] **Lawant, P. & Suntjens, R. (2011)** Euphorbias of La Gomera, Canary Islands, revisited (part 1) / (part 2). *Euphorbia World* 7(2): 22-28, (3): 20-27, ills., map.

[252] **Lebrun, J.-P. & Stork, A. L. (2011)**

Tropical African flowering plants. Ecology and distribution. Volume 6: *Burseraceae* - *Apiaceae*. Addendum to volumes 1-5 (familias A-C). Genève (CH): Ville de Genève, Éditions des Conservatoire et Jardin Botaniques. 398 pp., maps. [This volume includes the families *Anacardiaceae*, *Apiaceae*, *Araliaceae* and *Burseraceae*, as well as addenda to *Aizoaceae*, *Begoniaceae*, *Brassicaceae*, *Cochlospermaceae*, *Crassulaceae* and *Cucurbitaceae*.]

[253] **Leyva Bermúdez, O. & Riverón Giró, F. B. (2011)** Curiosidad en la reproducción natural de *Melocactus holguinensis* (*Cactaceae*). Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 8(1): 6, ill.

[254] **Linke, F. (2011)** Auf der Suche nach *Trichocereus candicans* mit farbigen Blüten. Echinopseen 8(2): 59-66, ills., map.

[255] **Linzen, T. (2011)** *Mammillaria* spec. aff. *compacticaulis* TL 742. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(3): 144-147, ills.

[256] **Linzen, T. & Schumacher, R. (2011)** Nachlese zu den Ergebnissen der Herbsttagung 2010. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(1): 12-25, ills. [On *Mammillaria lindsayi* and related taxa.]

[257] **Loaiza S., C. R. & Morrone, J. J. (2011)** Análisis panbiogeográfico de algunas *Cactaceae* del Ecuador. Gayana, Bot. 68(2): 220-225, maps.

[258] **Lowry, M. (2011)** *Trichocereus randallii* revisited. The story of a little-known plant from Bolivia. Cact. Explorer 1: 28-30, ills.

[259] **Lowry, M. & Mendoza, F. M. (2011)** Notes on cacti from the northwest of Bolivia with a new *Echinopsis* species. CactusWorld 29 (2): 91-102, ills. [Partial Russian translation in Kakt. Tolko 2011(4): 4-8, ills., 2011.]

[260] **Loza-Cornejo, S. & Terrazas, T. (2011)** Morfo-anatomía de plántulas en especies de *Pachycereae*: ¿hasta cuándo son plántulas? Bol. Soc. Bot. México 88: 1-13, ills.

[261] **Mahmood, T., Muhammad, S. & Shinwari, Z. K. (2010)** Molecular and morphological characterization of *Caralluma* species. Pakistan J. Bot. 42(2): 1163-1171. [Omitted previously.]

[262] **Mahr, D. (2011)** The many faces of *Pa-*

*chypodium lealii*. Cact. Succ. J. (Los Angeles) 83(3): 123-129, ills., map.

[263] **Malpure, N. V., Kamble, M. Y. & Yadav, S. R. (2006)** A new species of *Ceropegia* L. (*Asclepiadaceae*) from the Western Ghats of India with a note on series *Attenuatae* Huber. Curr. Sci. 91(9): 1140-1142, map, ills., key. [Omitted previously.]

[264] **Manning, J. C. & Condy, G. (2011)** *Albucca spiralis*. Fl. Pl. Africa 62: 30-35, t. 2265, ills., map.

[265] **Manning, J. C., Goldblatt, P. & Saunders, R. (2011)** *Massonia bifolia*. Bot. Mag., 28(4): 324-332, ills., t. 721.

[266] **Marmier, F. (2011)** *Angolluma venenosa* Maire (Plowes) [sic]. Terra Seca 2011(3): 28-34, ills.

[267] **Martin, M. P., Peters, C. M., Palmer, M. I. & Iilsley, C. (2011)** Effect of habitat and grazing on the regeneration of wild *Agave cupreata* in Guerrero, Mexico. Forest. Ecol. Managem. 262: 1443-1451.

[268] **Martínez-Azorín, M., Crespo, M. B., Juan, A. & Fay, M. F. (2011)** Molecular phylogenetics of subfamily *Ornithogaliodeae* (*Hyacinthaceae*) based on nuclear and plastid DNA regions, including a new taxonomic arrangement. Ann. Bot. (Oxford), n.s. 107: 1-37, ills. key.

[269] **Martínez-Palacios, A. & Eguiarte, L. E. (2011)** *Agave victoriae-reginae* T. Moore (*Agavaceae*): Die Wildpopulationen und deren genetische Differenzierung / las poblaciones silvestres y su diferenciación. Avonia 29(4): 139-145, xxv-xxvii, ills., map.

[270] **Martínez-Palacios, A., Gómez-Sierra, J. M., Sáenz-Romero, C., Pérez-Nasser, N. & Sánchez-Vargas, N. (2011)** Genetic diversity of *Agave cupreata* Trel. & Berger. Considerations for its conservation. Revista Fitotec. Mex. 34 (3): 159-165.

[271] **Martínez-Peralta, C. & Mandujano, M. C. (2011)** Reproductive ecology of the endangered living rock cactus, *Ariocarpus fissuratus* (*Cactaceae*). J. Torrey Bot. Soc. 138(2): 145-155.

[272] **Martínez-Peralta, C., Mancilla, R., Altamirano-Vázquez, H. G. & Aguilar-Mora-**



- Ies, G. (2010)** Características poblacionales de *Pachycereus weberi* y su relación con polinizadores en la comunidad de Dominguillo en el Valle de Tehuacán-Cuicatlán, Puebla-Oaxaca. *Cact. Suc. Mex.* 55(3): 85-89, ill. [Omitted previously.]
- [273] **Marx, G. (2011)** Some new discoveries in the genus *Haworthia* in the southern Western Cape Province and Little Karoo. *Aloe* 47(4): 88-95, ill. [Volume for 2010, received at ZSS Feb. 2011.]
- [274] **Marx, G. (2011)** *Haworthia uitewaialiana* von Pollnitz. *Aloe* 48(2): 28-29, ill.
- [275] **Marx, G. (2011)** Notes on *Haworthia* observation: Habitat versus cultivation. *Aloe* 48(3): 67-71, ill.
- [276] **Marx, G. (2011)** Conserving *Haworthia magnifica* var. *splendens* in situ. *CactusWorld* 29(3): 125-132, ill. [Included for the illustrations.]
- [277] **Marx, G. (2011)** *Haworthia splendens*: Undeniably magnificent, conceivably mirabiloid, but a rarity in need of protection. *Haworthiad* 25(1): 3-9, ill. [Included for the illustrations.]
- [278] **Mashope, B. K., Herselman, L. & Labuschagne, M. T. (2011)** Genetic diversity among South African cactus pear genebank accessions using AFLP markers. *Bradleya* 29: 103-114.
- [279] **Masterson, M. & Davies, C. (2011)** *Mammillaria schiedeana* ssp. *giselae*. *J. Mammillaria Soc.* 51(4): 101, ill.
- [280] **Matulová, R. & Michálková, J. (2010)** Rod *Euphorbia* na ostrove Madagaskar. Zkusenosti s pestováním v našich sbírkách. *Adenium* 23(Speciál): 1-52, ill. [Omitted previously.]
- [281] **Matuszewski, G. F. (2011)** [Czech:] *Turbinicarpus graminispinus* sp. nova G. F. Matuszewski, V. Mysák & Z. Jiruse. *Cactaceae* etc. 21(4): 123-128, ill.
- [282] **Matuszewski, G. F. (2011)** Die Geschichte von der Entdeckung des *Turbinicarpus graminispinus* G. F. Matuszewski, V. Mysák & Z. Jiruse sp. nova. *Turbi-Now* 21: 3-5, ill.
- [283] **Matuszewski, G. F. & Hinz, S. (2011)** *Thelocactus*. Systematyka, występowanie i uprawa. Systematik, Vorkommen und Kultur. Gora Kalwaria (PL): Kontynenty Dariusz Raczko. [iv] + 284 pp., ill., maps, key.
- [284] **Mautino, L. R. (2011)** Nuevas especies de palinomorfos de las formaciones San José y Chiquimil (mioceno medio y superior), noroeste de Argentina. *Revista Brasil. Paleontol.* 14(3): 279-290, ill., map.
- [285] **Mayer, C. (2010)** The impact of grazing on pollinators and pollination. In: Schmiedel, U. & Jürgens, N. (eds.): Biodiversity in southern Africa. Volume 2: Patterns and processes at regional scale; pp. 233-238, ill. Göttingen (GE) / Windhoek (NA): Klaus Hess Publishers. [Study conducted with 6 spp. of *Aizoaceae*.]
- [286] **McIntosh, M. E., Boyd, A. E., Jenkins, P. D. & McDade, L. A. (2011)** Growth and mortality in the endangered Nichol's turk's head cactus *Echinocactus horizonthalonius* var. *nicholii* (*Cactaceae*) in southeastern Arizona, 1995 - 2008. *S.W. Naturalist* 56(3): 333-340.
- [287] **Meer, P. van der (2011)** Las primeras floraciones de la especie *Agave americana* L. en Europa. *Bouteloua* 8: 51-59.
- [288] **Meier, E. (2011)** Über *Disocactus aurantiacus* (Kimmnach) Barthlott. *Kaktusblüte* 2011: 32-41, ill.
- [289] **Menezes, M. O. T., Taylor, N. P., Machado, M. C., Coelho, P. J. & Correia, D. (2011)** Diversity and distribution of *Cactaceae* in Ceará state, northeastern Brazil. *Bradleya* 29: 13-42, ill., maps.
- [290] **Meregalli, M. (2011)** The *Gymnocalycium* of Uruguay. 2. South-western Uruguay. *G. hyptiacanthum* (Lemaire) Britton & Rose. *Schütziana* 2(1): 29-44, maps, ill.
- [291] **Metzing, D., Kubbier, H. & Küver, B. (2011)** *Crassula tillaea* (*Crassulaceae*) auf Baltrum – Erstnachweis für Niedersachsen. *Drosera* 2010(1/2): 71-76, ill.
- [292] **Meve, U., Goyder, D. J. & Liedt-Schumann, S. (2011)** The Asclepiads depicted in Hooker's *Icones Plantarum*. *Asklepios* 109: 16-27, ill. [Dated Dec. 2010, received at ZSS Jan. 2011.]
- [293] **Meyer, J. (2011)** Sehr kulturwürdig: *Tylecodon hallii*. *Kakt. and. Sukk.* 62(3): 64-65, ill. [Included for the illustrations.]

- [294] **Middleditch, H. (ed.). (2011)** *Gymnocalycium erinaceum* var. *paucisquamosum*. *Gymnocalycium amerhauseri*. *Gymnocalycium papschii*. *Gymnocalycium parvulum*. Chileans 21 (69): 109-120, ills. [Volume for 2010, received at ZSS 15. 2. 2011.]
- [295] **Mihalte, L., Feszt, G., Baciú, A. & Vilcan, A. (2010)** Phylogenetic distances among several genotypes of *Rebutia*, *Mediolobivia* and *Sulcorebutia* (*Cactaceae*). *Int. J. Bot.* 6(3): 266-272.
- [296] **Mihalte, L., Sestras, R. E. & Feszt, G. (2011)** Morphological characterization and phylogenetic distance among several genotypes of *Rebutia*, *Aylostera*, *Mediolobivia* and *Sulcorebutia* (*Cactaceae*). *Afr. J. Biotechnol.* 10(61): 13051-13057.
- [297] **Mihalte, L., Sestras, R. E., Feszt, G. & Tamas, E. (2011)** Assessment of genetic variation on four genera of *Cactaceae* using taxonomic, cytological and molecular markers methods. *Plant omics* 4(3): 142-148.
- [298] **Miller, J. B. (2011)** Genesis of the Institute of *Aloe* studies. *Cact. Succ. J. (Los Angeles)* 83(2): 86-90, ills.
- [299] **Minuth, W. (2011)** *Euphorbia subapoda* Baill. – what is it? *Euphorbia World* 7(1): 12-15, ills, map.
- [300] **Momberger, P. (2011)** *Astrophytum capricorne* ssp. *senile* und Varietäten. *Astrophytum* 1: 5-19, ills.
- [301] **Montesinos T., D. B. (2011)** Ecología y usos populares de "Towana": *Neowerdermannia chilensis* subsp. *peruviana* (Ritter) Ostolaza (*Cactaceae*) en la provincia General Sánchez Cerro. *Quepo* 25: 78-86, ills.
- [302] **Mordhorst, A. (2011)** Pflanzenvorstellung. *Hybriden-J.* 2011(1): 15-17, ills. (colour p. 14). [Includes data on hybrids *Bolivivereus* × *Maticana* and *Bolivivereus* × *Pygmaeocereus*.]
- [303] **Mordhorst, A. (2011)** Bemerkungen zum Auftreten variierender Phänotypen bei Naturhybriden. *Kakt. and. Sukk.* 62(1): 11-14, ills. [On *Ariocarpus* hybrids.]
- [304] **Mordhorst, A. (2011)** Intergenerische Kakteenhybriden innerhalb der *Trichocereinae*. *Kakt. and. Sukk.* 62(9): 225-235, ills.
- [305] **Moschetti, G. & Guiglia, L. (2011)** Stapelie d’Etiopia. Ethiopian Stapeliads. *Cactus & Co.* 14(4): 32-55, ills. [Volume for 2010, received at ZSS March 2011.]
- [306] **Mosti, S. & Raffaelli, M. (2011)** Re-evaluation of *Orbea nardii* and *O. wissmannii* var. *parviloba*, including infraspecific reclassification of *O. wissmannii*. *Asklepios* 110: 13-15, ills.
- [307] **Mosti, S., Lewke Bandara, N. & Papini, A. (2011)** Further insights and new combinations in *Aylostera* (*Cactaceae*) based on molecular and morphological data. *Pakistan J. Bot.* 43 (6): 2769-2785, key.
- [308] **Mostul, B. L. & Cházaro Basáñez, M. J. (2011)** *Lewisia megarhiza*: Olvidada en México y Guatemala. *Bouteloua* 8: 20-22, ills.
- [309] **Mottram, R. (2011)** A possible identification error. *CactusWorld* 29(1): 46-47, ills. [On *Sedum hintonii* misidentification.]
- [310] **Mottram, R. (2011)** The rat’s tail cactus. *CactusWorld* 29(2): 87-89, ills.
- [311] **Naidoo, Y., Heneidak, S., Kasim, N. & Baijnath, H. (2011)** Morphology, developmental ultrastructure and ultracytochemistry of staminal hairs in *Bulbine inflata* (*Asphodelaceae*) in relation to function. *Flora (Jena)* 206 (12): 1069-1075, ills.
- [312] **Naumann, J., Symmank, L., Samain, M.-S., Müller, K. F., Neinhuis, C., dePamphilis, C. W. & Wanke, S. (2011)** Chasing the hare – evaluating the phylogenetic utility of a nuclear single copy gene region at and below species level within the species rich group *Peperomia* (*Piperaceae*). *BMC Evol. Biol.* 11: paper no. 357, 19 pp.
- [313] **Neuhuber, G. J. A. (2011)** *Gymnocalycium andreae* (Boed.) Backeb. Geografische und morphologische Radiation einer scheinbar gut bekannten Pflanze. *Gymnocalycium* 24(2): 981-990, ills.
- [314] **Neumann, K. (2011)** Wenn die Hummelschweber kommen. An selten besuchten Standorten von *Echinocereus adustus* ssp. *schwarzii* und *Echinocereus adustus* ssp. *roemerianus*. *Kaktusblüte* 2011: 22-31, ills.
- [315] **Neut, P. (2011)** *Notocactus sessiliflorus* forma *vorwerkianus*. *Succulenta (Netherlands)* 90(2): 90-92, ills.

- [316] **Neut, P. (2011)** Een *Echeveria* uit Venezuela. *Echeveria multicolor* Ch. Uhl. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 24(3): 41-43, ills. [Included for the illustrations.]
- [317] **Neut, P. (2011)** *Notocactus rechensis* Buning. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 24(3): 44-45, ills. [Included for the illustration.]
- [318] **Newton, L. E. (2011)** Thoughts on the *Sansevieria* inflorescence. *Sansevieria* 24: 7-10, ills. [Dated Dec. 2010, received at ZSS Feb. 2011.]
- [319] **Newton, L. E. & Webb, R. H. (2011)** The Tanzanian "*Sansevieria grandicuspis*" unmasked. *J. East Afr. Nat. Hist.* 100(1-2): 141-144, ills.
- [320] **Noltee, F. (2011)** Vetplanten van de Karoo. *Aloinopsis loganii*. Succulenta (Netherlands) 90(2): 69-71, ills. [Included for the habitat illustrations.]
- [321] **Novara, L. J. (2011)** *Aizoaceae*. In: Flora del Valle de Lerma, vol. 11(2). Salta (AR): Herbario MCNS, Facultad de Ciencias Naturales, Universidad Nacional de Salta. 5 pp., ill., map. [= Aportes Botánicos de Salta, Ser. Flora.]
- [322] **Nyhuus, T. (ed.) (2011)** Artpresentationen. *Hoya bicknellii*. *Hoya benitotanii*. *Hoya minutiflora*. *Hoyatelegraf* 18(1): 4-17, ills.
- [323] **Nyhuus, T. (ed.) (2011)** Artpresentationen. *Hoya macgillivrayi*. *Hoya lucardenastiana*. *Hoya odetteae*. *Hoyatelegraf* 18(2): 4-17, ills.
- [324] **Nyhuus, T. (ed.) (2011)** [Artpresentationen]. *Hoya mindorensis* subsp. *mindorensis*. *Hoya mindorensis* subsp. *superba*. *Hoya shepherdii*. *Hoya obscura*. *Hoyatelegraf* 18(3): 4-22, ills.
- [325] **Nyhuus, T. (ed.) (2011)** [Artpresentationen]. *Hoya rigida*. *Hoya carmelae*. *Hoya parviflora*. *Hoyatelegraf* 18(4): 4-18, ills.
- [326] **Obbens, F. J. (2011)** Five new species of *Calandrinia* (*Portulacaceae*) from Western Australia with additional information on morphological observations. *Nuytsia* 21(1): 1-23, ills., map.
- [327] **Oberlander, K. C., Dreyer, L. L. & Bellstedt, D. U. (2011)** Molecular phylogenetics and origins of southern African *Oxalis*. *Taxon* 60(6): 1667-1677.
- [328] **Obermaier, J. (2011)** *Opuntia polyacantha* in Alberta. *Kakt. and. Sukk.* 62(2): 29-37, ills.
- [329] **Ohba, H., Akiyama, S. & Wu, S.-K. (2011)** The genus *Rhodiola* (*Crassulaceae*) in the Kunlun Mountains. *J. Jap. Bot.* 86(2): 93-112, ills., key.
- [330] **Ohr, M. & Ohr, A. (2011)** Die fantastischen Blüten von / The fantastic flowers of *Echinocereus dasyacanthus*. Rosstal (GE): Published by the authors. 160 pp., ills., maps. [Included for the stunning illustrations depicting variability.]
- [331] **Ortega-Baes, P., Saravia, M., Sührling, S., Godinez-Alvarez, H. & Zamar, M. (2011)** Reproductive biology of *Echinopsis terscheckii* (*Cactaceae*): The role of nocturnal and diurnal pollinators. *Pl. Biol. (Stuttgart)* 13: 33-40.
- [332] **Ossa, C. G. & Medel, R. (2011)** Notes on the floral biology and pollination syndrome of *Echinopsis chiloensis* (Colla) Friedrich & G. D. Rowley (*Cactaceae*) in a population of semiarid Chile. *Gayana, Bot.* 68(2): 213-219.
- [333] **Ostolaza Nano, C. (2011)** 101 cactus del Perú. Lima (PE): Ministerio del Ambiente. 256 pp., ills.
- [334] **Otte, V., Fleischer, B., Stoll, A. & Bräutigam, S. (2011)** Type material of names based on plants from Namibia collected by F. Schäfer and kept at the Senckenberg Museum of Natural History, Görlitz (GLM). *Willdenowia* 41(2): 251-260.
- [335] **Padilla-Lepe, J., Arreola-Nava, H. J. & Guzman-Hernandez, L. (2011)** *Mammillaria xaltiangensis* (*Cactaceae*) en Jalisco. *Bol. Soc. Bot. México* 89: 122-125, ills., map.
- [336] **Pearcy, L. (2011)** In search of Sedums in Alsaka. *Newslett. Sedum Soc.* 96: 40-42, ill.
- [337] **Pell, S. K., Mitchell, J. D., Miller, A. J. & Lobova, T. A. (2011)** *Anacardiaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, 10: 7-50, ills., key. Heidelberg (GE) etc.: Springer.
- [338] **Perez, M. F., Téou, M. F., Zappi, D. C., Taylor, N. P. & Moraes, E. M. (2011)** Isolation, characterization, and cross-species amplification of polymorphic microsatellite markers for

*Pilosocereus machrisii* (Cactaceae). Amer. J. Bot. 98(8): e204-e206.

[339] **Peters, E. M., Martorell, C. & Ezcurra, E. (2011)** The effects of serotiny and rain-fall-cued dispersal on fitness: Bet-hedging in the threatened cactus *Mammillaria pectinifera*. Populat. Ecol. 53(2): 383-392.

[340] **Petrlikova, D. (2011)** *Sedum polytrichoides* Hemsley back in cultivation. Newslett. Sedum Soc. No. 96: 36-37, ill. [Included for the illustration.]

[341] **Piccione, G. M. (2011)** Guardando a una pianta di *Lithops*. Piante Grasse 31(2): 73-77. [On the orientation of subsequent leaf pairs.]

[342] **Piedra-Malagón, E. M., Sosa, V. & Ibarra-Manriquez, G. (2011)** Clinal variation and species boundaries in the *Ficus petiolaris* complex (Moraceae). Syst. Bot. 36(1): 80-87, map.

[343] **Pilbeam, J. (2011)** *Echinocereus*. Hornchurch (GB): British Cactus & Succulent Society. 176 pp., ills., maps.

[344] **Pilbeam, J. (2011)** Sackcloth and ashes. CactusWorld 29(2): 69-72, ills. [Discussing errors in the author's book on Stapeliads published 2010. German translation in Avonia News 2012(3): 11-16, ills., 2012.]

[345] **Piña, H. H., Montaña, C. & Mandujano, M. C. (2010)** *Olycella* aff. *junctolineella* (Lepidoptera: Pyralidae) florivory on *Opuntia microdasys*, a Chihuahuan Desert endemic cactus. J. Arid Environm. 74: 918-923. [Omitted previously.]

[346] **Pisciotta, S., Raspi, A. & Sajeve, M. (2011)** First records of pollinators of two co-occurring Mediterranean *Apocynaceae*. Pl. Biosystems 145: 141-149.

[347] **Popov, G. (2011)** [Russian:] *Tephrocactus aoracanthus* or *Tephrocactus ovatus*? Kakt. Klub 2010(3-4): 5-15, ills. [Volume for 2010, received at ZSS in April 2011.]

[348] **Portilla-Alonso, R. M. & Martorell, C. (2011)** Demographic consequences of chronic anthropogenic disturbance on three populations of the endangered globose cactus *Coryphantha werdermannii*. J. Arid Environm. 75: 509-515.

[349] **Pot, J. (2011)** *Sulcorebutia*, voer voor taxonomen? Succulenta (Netherlands) 90(4):

190-196, (5): 227-237, ills. [German translation in Echinopseen 9(1): 10-29, ills., 2012.]

[350] **Probatova, N. S., Kazanovsky, S. G., Rudyka, E. G., Barkalov, V. Y., Seledets, V. P. & Nechaev, V. A. (2011)** In: Marhold, K. & Breitwieser, I. (eds.): IAPT/IOPB chromosome data 12. Taxon 60(6): 1790-1794. [Includes chromosome count for *Hylotelephium triphyl-lum*.]

[351] **Procházka, J. (2011)** [Czech:] New form of *Gymnocalycium catamarcense* from Palo Blanco (Argentina) and polemics about this plant. Cactaceae etc. 21(1): 22-24, ills.

[352] **Puchmüller, E. (2011)** *Astrophytum asterias* im südlichen Tamaulipas (Mexiko). Kakt. and. Sukk. 62(2): 43-48, ills.

[353] **Puchmüller, E. (2011)** Unterwegs zum Wuchsort von *Mammillaria hernandezii*. Kakt. and. Sukk. 62(5): 123-126, ills. [Included for the illustrations.]

[354] **Pullen, T. (2011)** *Stenocereus aragonii*. Succulenta (Netherlands) 90(3): 114-116, ills.

[355] **Pullen, T. & Zonneveld, B. (2011)** Het geslacht *Cotyledon* (3). *Cotyledon papillaris* L.f. Succulenta (Netherlands) 90(6): 262-265, ills.

[356] **Purves, R. & Middleditch, H. (ed.) (2011)** Flowering *Trichocereus spachianus*? Chileans 21(69): 89-100, ills. [Volume for 2010, received at ZSS 15. 2. 2011.]

[357] **Ramdhani, S., Barker, N. P. & Cowling, R. M. (2011)** Revisiting monophyly in *Haworthia* Duval (Asphodelaceae): Incongruence, hybridization and contemporary speciation. Taxon 60(4): 1001-1014.

[358] **Rani, S., Kumari, S. & Gupta, R. C. (2011)** In: Marhold, K. & Breitwieser, I. (eds.): IAPT/IOPB chromosome data 12. Taxon 60(6): 1794. [Includes chromosome count for *Sedum trifidum*.]

[359] **Rebmann, N. (2011)** *Apteranthes munbyana* (Decne. ex Munby) Meve & Liede ssp. *hispanica* (Coincy) M. B. Crespo & Mateo – Une nouvelle station pres de Calpé (Espagne). Cact. Succ. 3(1): 2-5, ills.

[360] **Rebmann, N. (2011)** *Euphorbia perrieri* Drake. Cact. Succ. 3(2): 36-39, ills.

- [361] **Ren, H., Lu, L.-M., Soejima, A., Luke, Q., Zhang, D.-X., Chen, Z.-D. & Wen, J. (2011)** Phylogenetic analysis of the grape family (*Vitaceae*) based on the noncoding plastid *trnC-petN*, *trnH-psbA*, and *trnL-F* sequences. *Taxon* 60(3): 629-637.
- [362] **Reyes Santiago, J., Brachet Ize, C. & González Zorzano, O. (2011)** *Echeveria novogaliciana*, una nueva especie de la familia *Crasulaceae* para los estados de Aguascalientes y Jalisco, México. *Cact. Suc. Mex.* 56(3): 82-95, ills., map. [Includes a distribution map of the species of *Echeveria* Ser. *Gibbiflorae*.]
- [363] **Ribeiro Silva, S., Zappi, D. C., Taylor, N. P. & Machado, M. (eds.) (2011)** Plano de ação nacional para conservação das Cactáceas. Brasília (BR): Instituto Chico Mendes de Conservação da Biodiversidade, ICMBIO. 112 pp., ills. [= Série Espécies Ameaçadas no 24. Digitally available at: [http://www.botanica.org.br/arquivos/PAN\\_Cactaceae1.pdf](http://www.botanica.org.br/arquivos/PAN_Cactaceae1.pdf).]
- [364] **Richter, I. (2011)** Die Gattung *Agave*. Geschichte, Systematik, Vorkommen, Kultur. Roma (IT): Associazione Italiana Amatori delle Piante Succulente. 159 pp., ills. [Also published in simultaneous Italian and English editions.]
- [365] **Ríha, J. (2011)** [Czech:] Two less-known and rarely cultivated species of the Mexican genus *Thelocactus* – *Thelocactus buekii* Britton & Rose and *Thelocactus matudae* Sánchez-Mejorada & A. B. Lau. *Kaktusy (Brno)* 47(1): 22-25, ills.
- [366] **Ríha, J. (2011)** [Czech:] Can *Astrophytum senile* hybridize with *A. coahuilense* in nature? And in cultivation? *Kaktusy (Brno)* 47(2): 45-48, ills.
- [367] **Ríha, J. (2011)** [Czech:] *Mammillaria manana* W. A. & B. Fitz Maurice, an interesting new species from southwestern Mexico. *Kaktusy (Brno)* 47(2): 59-61, ills.
- [368] **Ríha, J. (2011)** [Czech:] *Mammillaria marcosii* W. A. Fitz Maur., B. Fitz Maur. & Glass, a beautiful new *Mammillaria* from series *Stylothelae* from central Mexico. *Kaktusy (Brno)* 47(3): 91-93, ills.
- [369] **Ríha, J. (2011)** [Czech:] *Mammillaria roemerii* Krüger & Rischer, an interesting new *Mammillaria* from Zacatecas, Mexico. *Kaktusy (Brno)* 47(4): 120-123, ills. [Included for the habitat illustrations.]
- [370] **Rischer, W. (2011)** *Echinocereus chaletii* Rischer. *Echinocereenfreund* 24(3): 68-73, ills, map.
- [371] **Roberts, E. (2011)** *Mammillaria lasiacantha* or not? *Cact. Succ. J. (Los Angeles)* 83(3): 100-106, ills.
- [372] **Rocha, E. A. & Agra, M. de F. (2011)** *Cactaceae* do cariri paraibano: Taxonomia e etnomedicina. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 8(1): 11-18, ills.
- [373] **Rojas-Sandoval, J. & Meléndez-Ackerman, E. (2011)** Reproductive phenology of the Caribbean cactus *Harrisia portoricensis*: Rain-fall and temperature associations. *Botany* 89(12): 861-871.
- [374] **Rowley, G. D. (2011)** Stapeliad cultivars – domestication and documentation. *Asklepios* 109: 3-15, ills. [Dated Dec. 2010, received at ZSS Jan. 2011.]
- [375] **Rudzinski, H. (2011)** *Mammillaria coahuilensis* versus *Mammillaria heyderi*. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 35(1): 33-37, ills.
- [376] **Ruinaard, H. P. (2011)** Besuch in Chloride, Arizona. *Echinocereenfreund* 24(3): 60-67, ills. [On *Echinocereus canyonensis* variability.]
- [377] **Ruiz-González, S. P., Rojas-Aréchiga, M. & Mandujano, M. C. (2011)** Descripción morfológica y germinación de las semillas de *Echinomastus unguispinus*. *Cact. Suc. Mex.* 56(2): 36-55, ills.
- [378] **Rulkens, A. J. H. & Baptista, O. J. (2011)** *Sansevieria* diversity in Cabo Delgado province of Mozambique. *Sansevieria* 25: 3-10, ills.
- [379] **Russo, L. (2011)** *Ortegocactus macdougalii*. Una pianta singolare e l'uomo che la scoprì. An unusual plant, and the man who discovered it. *Cactus & Co.* 15(2): 60-71, ills.
- [380] **Saldivia Pérez, P. & Faúndez Yancas, L. (2011)** Nuevas combinaciones, una epitipificación y una corrección nomenclatural en *Theloccephala* (*Cactoideae: Notocactaeae*), género endémico de Chile. *Gayana, Bot.* 68(2): 316-318.

- [381] **Salengue, E. V. & Gerloff, N. (2011)** *Notocactus erubescens* (Osten) Marchesi auch in Brasilien? *Internoto* 32(1): 11-17, ills.
- [382] **Samain, M.-S., Mathieu, G., Pino, G., Symmank, L., Cieza, N., Neinhuis, C., Goytchebeur, P. & Wanke, S. (2011)** The geophytic *Peperomia* subgenus *Tildenia* (*Piperaceae*) in the Andes with the description of new species in a phylogenetic framework. *Pl. Ecol. Evol.* 144(2): 148-176.
- [383] **Sánchez Salas, J., Muro Perez, G., Estrada Castellón, E., García Aranda, M. & Alba Ávila, J. A. (2011)** Registro de una nueva localidad de *Lophophora williamsii* (*Cactaceae*) a punto de extinción por saqueo en Coahuila, México. *J. Bot. Res. Inst. Texas* 5(2): 685-687.
- [384] **Santini, B. (2011)** La serotinia en cactáceas: Retención y retraso en la dispersión de sus semillas. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 8(1): 7-8, ills.
- [385] **Sarnes, E. & Sarnes, N. (2011)** Auf der Suche nach *Austrocactus intertextus*. *Kakt. and Sukk.* 62(1): 15-20, ills., map. [Included for the illustrations of several species of *Austrocactus*.]
- [386] **Sarnes, E. & Sarnes, N. (2011)** *Copia-poa tenuissima* – Besuch bei einer guten Bekannten. *Kakt. and Sukk.* 62(12): 337-340, ills. [Included for the habitat illustrations.]
- [387] **Sarwar, G. R. & Qaiser, M. (2011)** A numerical taxonomy of the genus *Sedum* L. from Pakistan and Kashmir. *Pakistan J. Bot.* 43(2): 753-758, map.
- [388] **Sauer, N. (2011)** Aloes and the birds and the bees. *Aloe* 48(2): 30-33, ills.
- [389] **Schädlich, V. & Bercht, L. (2011)** Die Geschichte von *G.[ymnocalycium] mihanovichii*. *Gymnocalycium* 24(1): 969-980, ills., map.
- [390] **Schaefer, H. (2007)** *Cucumis* (*Cucurbitaceae*) must include *Cucumella*, *Dicoelospermum*, *Mukia*, *Myrmecosicyos* and *Oreosyce*: A circumscription based on nuclear and plastid DNA data. *Blumea* 52: 165-177, key. [Omitted previously.]
- [391] **Schaefer, H. & Renner, S. S. (2011)** *Cucurbitaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, 10: 112-174, ills., key. Heidelberg (GE) etc.: Springer.
- [392] **Schaefer, H. & Renner, S. S. (2011)** Phylogenetic relationships in the order Cucurbitales and a new classification of the gourd family (*Cucurbitaceae*). *Taxon* 60(1): 122-138, ills.; (3): 924 [erratum].
- [393] **Schaefer, H., Moura, M., Belo Maciel, M. G., Silva, L., Rumsey, F. J. & Carine, M. A. (2011)** The Linnean shortfall in oceanic island biogeography: A case study in the Azores. *J. Biogeogr.* 38: 1345-1355. [Includes data on *Euphorbia stygiana*.]
- [394] **Schauer, M. (2011)** Auf der Suche nach / Searching for *Mammillaria anniana*. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 35(3): 172-178, ills.
- [395] **Schauer, M. (2011)** *Mammillaria carmenae* Castañeda & Caceres am Standort / at the original habitat. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 35(4): 194-203, ills.
- [396] **Schmid, J. (2011)** *Raphionacme flanaganii* – ein schwergewichtiges Seidenpflanzengewächs. *Kakt. and Sukk.* 62(6): 149-152, ills. [Included for the illustrations.]
- [397] **Schnabel, D. (2011)** The mysterious ‘Snowflake’ *Euphorbia* – a new variety of *Euphorbia polygona* Haw. *Euphorbia World* 7(1): 20-26, ills., map.
- [398] **Scott, M. (2011)** General notes on the phenotypes and morphological features of *Ha-worthia maxima* (Haw.) Duval. *Aloe* 48(2): 42-45, ills.
- [399] **Seda, V. & Sedlák, E. (2011)** [Czech:] Genus *Rebutia* (K. Sch.), section *Setirebutia* Buin. & Don., and *Digitorebutia* (Buin.) Buin. & Don. and what we used to know as *Mediolobivia* Backeb. *Kaktusy (Brno)* 47 (Special 2): 36 + viii pp., ills. [Also simultaneously published in a German translation.]
- [400] **Sherrah, C. (2011)** Parque Nacional Laguna Blanca (Neuquén, Argentina). *Cactus & Co.* 15(1): 4-17.
- [401] **Sherrah, C. (2011)** Da Santa Cruz a Corumba. From Santa Cruz to Corumba. *Cactus & Co.* 15(2): 22-41, ills. [Included for the illustrations of several *Cactaceae* species from lowland Bolivia.]
- [402] **Siar, S. V., Dalu, J. A., Roldan, C. D., Redondo, M. C., Diaz, M. G. Q. & Caran-**

- dang, J. M. (2011)** Chromosomal characteristics and behavior of four Philippine endemic *Hoya*: *Hoya crassicaulis* Elmer ex Klop-penburg, *Hoya merrillii* Schlechter, *Hoya mcgregorii* Schlechter and *Hoya pubicalyx* Merrill. Philipp. J. Crop Sci. 36(3): 65-69.
- [403] **Singh, N. B., Bhattacharyya, U. C. & Uniyal, B. P. (2011)** *Crassulaceae* of India. Dehra Dun (IN): Bishen Singh Mahendra Pal Singh. viii + 310 pp., ills., keys, maps.
- [404] **Sinha, S. & Mondal, A. K. (2011)** The morphological diversification of pollinia of some members of *Asclepiadaceae*. Afr. J. Biotechnol. 10(41): 7981-7986, ills. [Includes observations on *Hoya globulosa*.]
- [405] **Slaba, R. (2011)** [Czech:] *Gymnocalycium uebelmannianum* Rausch – easy and fast. Kaktusy (Brno) 47(1): 11-15, ills.
- [406] **Slaba, R. (2011)** [Czech:] *Gymnocalycium oenanthemum* Backeb. again under discussion. Kaktusy (Brno) 47(2): 39-44, ills.
- [407] **Slaba, R. (2011)** [Czech:] *Lobivia densispina* Werd. – the Argentinian miniature with attractive flowers. Kaktusy (Brno) 47(4): 115-119, ills. [Included for the illustrations showing variability.]
- [408] **Smith, G. F. (2011)** *Portulacaceae* in South Africa, with reference to *Anacampseros decapitata*, a recently described miniature succulent plant species. Cact. Succ. J. (Los Angeles) 83(4): 163-168, ills.
- [409] **Smith, G. F. & Figueiredo, E. (2011)** Provenance of the material on which the name *Aloe mendesii* Reynolds (*Asphodelaceae*), a cliff-dwelling species from Angola, is based. Bradleya 29: 61-66, ills.
- [410] **Smith, G. F. & Figueiredo, E. (2011)** *Agave americana* L. (subsp. *americana*) var. *expansa* (Jacobi) Gentry (*Agavaceae*) naturalized in South Africa. Bradleya 29: 67-72, ills., map.
- [411] **Smith, G. F. & Figueiredo, E. (2011)** *Aloe palmiformis*, an endemic krantz *Aloe* from Angola. Cact. Succ. J. (Los Angeles) 83(1): 22-27, ills., map.
- [412] **Smith, G. F. & Figueiredo, E. (2011)** *Umbilicus rupestris*: An interesting member of the *Crassulaceae* in Portugal. Cact. Succ. J. (Los Angeles) 83(5): 232-235, ills.
- [413] **Smith, G. F., Crouch, N. R., Klopper, R. R. & Condy, G. (2011)** *Aloe neilcrouchii*. Fl. Pl. Africa 62: 10-15, t. 2262, map.
- [414] **Smith, G. F., Figueiredo, E., Boatwright, J. S. & Crouch, N. R. (2011)** South Africa's ongoing *Opuntia* Mill. (*Cactaceae*) problem: The case of *Opuntia microdasys* (Lehm.) Pfeiff. Bradleya 29: 73-78, ills.
- [415] **Smith, G. F., Walker, C. C. & Figueiredo, E. (2011)** What's in a name: An update on epithets used in *Aloe* L. (*Asphodelaceae*). Bradleya 29: 179-181.
- [416] **Sobota, T. & Seda, V. (2011)** [Czech:] *Cumulopuntia rossiana* (Heinrich & Backeberg) Ritter. Kaktusy (Brno) 47(4): 132-136, ills. [Included for the habitat illustrations showing flower colour variability.]
- [417] **Solano, E. & Ríos-Gómez, R. (2011)** *Polianthes zapopanensis* (*Agavaceae*), una especie nueva de Jalisco, México. Brittonia 63(1): 70-74, ills., key. [With key to 14 spp. of *Polianthes* occurring in Jalisco.]
- [418] **Solichon, J.-M. (2011)** Les aréoles des *Cactaceae*. Cact. Succ. 3(1): 25-30, ills.
- [419] **Solichon, J.-M. (2011)** *Pereskia aculeata* (*Cactaceae*). Cact. Succ. 3(2): 64-66, ills. [incl. back cover]. [Included for the illustrations.]
- [420] **Somadee, S. & Kühne, J. (2011)** *Hoya*. 200 verschiedene Wachsblumen. Witten (GE): Formosa-Verlag. 96 pp., ills. [Included for the illustrations.]
- [421] **Sonnermo, H. & Middleditch, H. (ed.) (2011)** Finding some *Tephrocactus* around San Pedro de Atacama. Chileans 21(69): 76-86, ills. [Volume for 2010, received at ZSS 15. 2. 2011.]
- [422] **Sosef, M. S. & al. (2011)** Flore du Gabon, No. 42. Paris (FR): Museum National d'Histoire Naturelle. [This fascicle includes the *Aizoaceae*.]
- [423] **Soto-Trejo, F., Palomino, G. & Villaseñor, J. L. (2011)** Números cromosómicos de *Asteraceae* de la Reserva Ecológica del Pedregal de San Ángel (REPSA), México, Distrito Federal. Revista Mex. Biodivers. 82: 383-393, ills., maps. [Includes data for *Pitocaulon praecox*.]

- [424] **Sousa, F. de, Figueiredo, E. & Smith, G. F. (2011)** Notes on African plants. *Vitaceae*. A new and an overlooked record of *Cyphostemma* in Angola. *Bothalia* 41(2): 294-295, map.
- [425] **Sousa, F. de, Figueiredo, E. & Smith, G. F. (2011)** The genus *Cyphostemma* (Planch.) Alston (*Vitaceae*) in Angola. *Bradleya* 29: 79-92, ills., key, maps.
- [426] **Stanley, R. E. (2011)** *Mammillaria roseoalba* Bödeker – an alternative view. *J. Mammillaria Soc.* 51(1): 12, 17-20, ills. (p. 14).
- [427] **Starha, R. (2011)** [Czech:] Variability of *Gymnocactus beguinii* (F. A. C. Weber ex K. Schum.) Backeb. *Cactaceae etc.* 21(1): 5-8, ills.
- [428] **Starha, R. (2011)** [Czech:] *Aloe* in the Rift Valley (Kenya). *Cactaceae etc.* 21(3): 85-90, ills.
- [429] **Starr, G. & Devender, T. R. van (2011)** *Agave parviflora* subspecies *densiflora*. A newly found treasure from the Sierra Madre in Eastern Sonora, Mexico. *Cact. Succ. J. (Los Angeles)* 83(5): 224-231, ills., map, key. [Includes a key to the Group *Parviflorae*.]
- [430] **Stephenson, R. (2011)** Towards a reassessment of *Sedum oaxacanum* Rose, *S. australe* Rose and *S. polyrhizum* Praeger. *Newslett. Sedum Soc.* 97: 48-52, ills.
- [431] **Stephenson, R. (2011)** *Sedum wilczekianum* Font Quer. *Newslett. Sedum Soc.* 97: 52-53, ills.
- [432] **Stephenson, R. (2011)** *Petrosedum rupestre* subsp. *erectum* in habitat. *Newslett. Sedum Soc.* 97: 55-57, 98: 72-73, ills., map.
- [433] **Stephenson, R. (2011)** Attempting to comprehend *Sedastrum*. *Newslett. Sedum Soc.* 97: 65-68, ills., map.
- [434] **Stephenson, R. (2011)** *Rhodiola macrocarpa* from Chola Shan, NW Sichuan. *Newslett. Sedum Soc.* 99: 13-14, ills.
- [435] **Stephenson, R. (2011)** *Sedum porphyranthes* Reyes, Brachet & González, description of a plant in cultivation. *Newslett. Sedum Soc.* 99: 14-16, ills.
- [436] **Stephenson, R. (2011)** Service or disservice? *Newslett. Sedum Soc.* 99: 24-27, ills. [On leaf shape variability of *Phedimus* spp.]
- [437] **Stephenson, R. (2011)** A new species in cultivation – *Sedum nokoense* Yamamoto. *Newslett. Sedum Soc.* No. 96: 39-40, ill. [Included for the illustration.]
- [438] **Strub, T. (2011)** *Gymnocalycium* of the subgenus *Gymnocalycium* with naked, black seeds. *Schütziana* 2(1): 27-69, ills., maps.
- [439] **Stuchlík, S. (2011)** *Notocactus rauschii* van Vliet versus *Notocactus spinibarbis* Ritter. *Internoto* 32(3): 73-80, ills.
- [440] **Stuchlík, S. (2011)** [Czech:] A visit at the locality of *Notocactus roseiflorus* Schlosser et Brederoo. *Kaktusy (Brno)* 47(1): 26-29, ills., map.
- [441] **Stuchlík, S. (2011)** [Czech:] Visit at the locality of *Notocactus longispinus* (Ritter) Havlicek. *Kaktusy (Brno)* 47(2): 56-58, ills., map.
- [442] **Stuchlík, S. (2011)** [Czech:] Inconspicuous and modest: *Gymnocalycium uruguayense* (Arechavaleta) Britton et Rose. *Kaktusy (Brno)* 47(3): 84-87, ills.
- [443] **Stuchlík, S. (2011)** [Czech:] Information about *Notocactus vilanovensis* C. E. Koch in its habitat. *Kaktusy (Brno)* 47(4): 128-131, ills., map.
- [444] **Stuchlík, S. (2011)** [Czech:] Where does *Notocactus brederooianus* belong? *Minimus* 42 (1-2): 9-11, ills.
- [445] **Symmank, L., Samain, M.-S., Smith, J. F., Pino, G., Stoll, A., Goetghebeur, P., Neinhuis, C. & Wanke, S. (2011)** The extraordinary journey of *Peperomia* subgenus *Tildenia* (*Piperaceae*): Insights into diversification and colonization patterns from its cradle in Peru to the Trans-Mexican Volcanic Belt. *J. Biogeogr.* 38: 2337-2349.
- [446] **Tel-Zur, N., Mizrahi, Y., Cisneros, A., Mouyal, J., Schneider, B. & Doyle, J. J. (2011)** Phenotypic and genomic characterization of vine cactus collection (*Cactaceae*). *Genetic Resources Crop Evol.* 58(7): 1075-1085.
- [447] **Terry, M., Trout, K., Williams, B., Herrera, T. & Fowler, N. (2011)** Limitations to natural production of *Lophophora williamsii* (*Cactaceae*) I. Regrowth and survivorship two years post harvest in a South Texas population. *J. Bot. Res. Inst. Texas* 5(2): 661-675, ills., map.
- [448] **Theiler, S. (2011)** *Pelecypora aselliformis* mit Blättern. *Kakt. and. Sukk.* 62(2): 49-



50, ills.

[449] **Thiede, J. (2011)** Von der Savanne bis zum Namibrand: Die Sukkulentenflora des zentralen Kaokoveldes (Namibia) – *Euphorbia eduardoi*, *Pachypodium lealii* & Co. Avonia 29 (1): 3-24, ills., maps.

[450] **Thiede, J. (2011)** Die Geschichte und taxonomische Gliederung des *Agave victoriae-reginae* T. Moore-Komplexes (*Agavaceae*). Avonia 29(4): 146-156, ills.

[451] **Thiele, H. (2011)** Wunderbare Welt der Parodien. Adelsdorf (GE): Deutsche Kakteen-Gesellschaft e.V. 144 pp., ills., maps. [Illustrated synopsis of *Parodia* s.s.]

[452] **Thiele, H. (2011)** Overlevingskunstenars of kolonisationspecialisten. Succulenta (Netherlands) 90(3): 128-135, (4): 158-163, ills. [On *Weingartia fidana* and related taxa. Hungarian version published in Debreceeni Pozsgástár 14(4): 9-25, ills., 2011; German version in Kaktusblüte 2012: 54-65, ills.]

[453] **Till, H. (2011)** *Gymnocalycium stuckertii* (Speg.) Britton & Rose. *Gymnocalycium* 24(4): 1007-1016, ills.

[454] **Tóth, N. (2011)** [Hungarian:] Tracing *Ortegocactus macdougallii*. Debreceeni Pozsgástár 14(4): 47-55, ills. [Included for the habitat illustrations.]

[455] **Unger, G. (2011)** Anmerkungen zu *Mammillaria schumannii* var. *globosa* Wolf. Mitteilungsbl. Arbeitskreises Mammillarienfr. 35(3): 148-149, ills.

[456] **Vanderplank, S. & Mata, S. (2011)** The succulent scrub of San Martín Island, Baja California, Mexico. *Cact. Succ. J. (Los Angeles)* 82 (6): 252-258, ills., map. [Issue for Dec. 2010, received at ZSS Feb. 2011.]

[457] **Vanecek, J. & Seda, V. (2011)** [Czech:] The genus *Rebutia* K. Schumann, subgenus *Rebutia*, 2. section *Aylosteria* (Speg.) Buin. et Don. 1963. *Cactaceae* etc. 21(4): 142-157, ills. [Illustrated synopsis.]

[458] **Vanijajiva, O. & Kadereit, J. W. (2011)** A revision of *Gynura* (*Asteraceae*: *Senecioneae*). *J. Syst. Evol.* 49(4): 285-314, key, maps, ills.

[459] **Vargas-Vázquez, V. A. & Martínez-Avalos, J. G. (2011)** Registro de una nueva

localidad para *Coryphantha nickelsiae* (K. Brandegee) Britton & Rose. *Cact. Succ. Mex.* 56 (2): 45-48, ills., maps.

[460] **Vázquez-Sánchez, M. & Terrazas, T. (2011)** Stem and wood allometric relationships in *Cactaceae* (*Cactaceae*). *Trees* (Berlin) 25(5): 755-767, ills.

[461] **Véliz Pérez, M. E. (2011)** *Hylocereus minutiflorus* Britton & Rose (*Cactaceae*), an endemic species of Central America. *Int. Cact.-Advent.* 92: 2-5, ills., map.

[462] **Verlaque, R., Affre, L., Diadema, K., Suehs, C. M. & Médail, F. (2011)** Unexpected morphological and karyological changes in invasive *Carpobrotus* (*Aizoaceae*) in Provence (S-E France) compared to native South African species. *Compt. Rend. Biol.* 334(4): 311-319, maps.

[463] **Veselova, T. D., Dzhailova, K. K. & Timonin, A. C. (2011)** Atypical fruit of *Talinum triangulare* (Jacq.) Willd., the type species of the genus *Talinum* (*Talinaceae*, former *Portulacaceae*). *Wulfenia* 18(1): 15-35, ills.

[464] **Vích, J. (2011)** [Czech:] *Wigginsia fricii* – 106 years of doubts. *Cactaceae* etc. 3: 92-98, ills., map.

[465] **Vich, J. (2011)** Die Notokakteen des brasilianischen Bundesstaates Parana. *Internoto* 32 (4): 83-91, ills., maps. [Translated and editorially augmented from *Minimus* 2011(1-2).]

[466] **Victor, J. E. & Makwarela, L. E. (2011)** South Africa's succulents under threat. *Bradleya* 29: 137-142, ills.

[467] **Vladimirov, V. & Tan, K. (eds.) (2011)** New floristic records in the Balkans: 16. *Phytol. Balcan.* 17(2): 247-264, ills. [Includes data for 3 species of *Crassulaceae*.]

[468] **Vladimirov, V., Dane, F., Matevski, V., Stevanovic, V. & Tan, K. (eds.) (2011)** New floristic records in the Balkans: 15. *Phytol. Balcan.* 17(1): 129-156, ills., maps. [Includes data on *Sedum album* ssp. *athoum*.]

[469] **Voigt, W. (2011)** *Parodia gibbulosoides* (Brandt) syn. *Parodia gibbulosa* (Ritter). *Mitteilungsbl. Inter-Parodia-Kette* 27: 6-8, ills.

[470] **Vries, J. de (2011)** Die Fundorte von *Sulcorebutia caracarensis* (Card.) Donald, *Sulcorebutia inflexiseta* (Card.) Donald und wahr-

scheinlich auch von *Sulcorebutia pulchra* (Card.) Donald nach 40 Jahren wiedergefunden! Echinopseen 8(1): 1-17, ill. [First published in Dutch in Succulenta 89(2): 56-67, ill., 2010 (cf. RPS 61), and re-published in substantially augmented form in English in CactusWorld 30(1): 9-22, ill., 2012.]

[471] **Vries, V. de (2011)** *Haworthia standeri* – a unique species? Haworthiad 25(1): 14-16, ill., map.

[472] **Vrskovy, B. P. (2011)** [Czech:] The complex of *Melocactus acunae/harlowii* and garage bands. Cactaceae etc. 21(2): 43-49, ill., map.

[473] **Wagner, B., Morawetz, J. J., Riina, R., Berry, P. E., Becker, R. W. & Moller, A. (2011)** *Euphorbia* seed atlas – part 5. Euphorbia World 7(1): 11, ill.

[474] **Wagner, B., Morawetz, J. J., Riina, R., Berry, P. E., Moller, A. & Becker, R. W. (2011)** *Euphorbia* seed atlas – part 6. Euphorbia World 7(2): 21, ill.

[475] **Wagner, B., Morawetz, J. J., Riina, R., Berry, P. E., Moller, A. & Becker, R. W. (2011)** *Euphorbia* seed atlas – part 7. Euphorbia World 7(3): 15, ill.

[476] **Walter, H. (2011)** Typification of *Copiapoa conglomerata* (Phil.) Lembecke. CactusWorld 29(2): 103-104, ill.

[477] **Wang, Y.-Z., Mao, R.-B., Liu, J., Li, J.-M., Dong, Y., Li, Z.-Y. & Smith, J. F. (2011)** Phylogenetic reconstruction of *Chirita* and allies (*Gesneriaceae*) with taxonomic treatments. J. Syst. Evol. 49(1): 50-64.

[478] **Wanntorp, L., Gotthardt, K. & Mueller, A. N. (2011)** Revisiting the wax plants' (*Hoya*, *Marsdenieae*, *Apocynaceae*) phylogenetic tree using the matK gene and psbA-trnH intergenic spacer. Taxon 60(1): 4-14, ill.; (3): 924 [erratum].

[479] **Ward, D. B. (2011)** *Yucca filamentosa* and *Yucca flaccida* (*Agavaceae*) are distinct taxa in their type localities. Castanea 76(2): 222-228, ill.

[480] **Ware, S. (2011)** A new *Phemeranthus* (*Portulacaceae*) from the Piedmont of Virginia and North Carolina. J. Bot. Res. Inst. Texas 5 (1): 1-7, ill. [Includes data on hybridization.]

[481] **Watson, M. F. & al. (eds.) (2011)** Flora

of Nepal, volume 3: *Magnoliaceae* to *Rosaceae*. Edinburgh (GB): Royal Botanic Gardens Edinburgh. 425 pp., ill., keys, maps. [Includes *Crasulaceae*.]

[482] **Wede, D. (2011)** *Tephrocactus ignescens* am Vulkan El Tatio. Kakt. and Sukk. 62(4): 85-88, ill.

[483] **Weissbeck, S. (2011)** *Yucca queretaroensis*. Biconvex Denticulate-Leaf Yucca. Aktuelle Erkenntnisse und Kulturerfahrungen sowie Methoden zur eindeutigen Identifizierung. Wüsten-garten 2011: 4-18, ill.

[484] **Wester, P. (2011)** Sticky snack for sengis. Adding the Cape Rock Elephant-shrew to the list of non-flying mammal pollinators. Veld. Fl. (1975+) 97(3): 112-113, ill. [German version in Palmengarten 75(2): 122-125, 2012 ('2011').]

[485] **Wick, M. (2011)** *Gymnocalycium fischeri* Halda et al. in nature. Schütziana 2(1): 45-58, ill., map.

[486] **Widiarshi, S., Siar, S. V. & Lalusin, A. G. (2011)** Optimization of DNA extraction protocol for *Hoya mindorensis* Schlechter. Philipp. J. Crop Sci. 36(2): 63-66.

[487] **Wilde, J. J. F. E. de (2011)** *Begoniaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, 10: 56-71, ill., key. Heidelberg (GE) etc.: Springer.

[488] **Williamson, G. (2011)** Notes on miniature and dwarf *Euphorbia* species from the Sperrgebiet in Namibia [part 1]. Euphorbia World 6(3): 5-13, ill. [Dated Dec. 2010, received at ZSS Feb. 2011. Continued in l.c. 7(1), 2011.]

[489] **Williamson, G. (2011)** Notes on miniature and dwarf *Euphorbia* species from the Sperrgebiet in Namibia (part 2). Euphorbia World 7(1): 5-10, ill. [Continued from l.c. 6(3), 2011 ('2010').]

[490] **Williamson, G. (2011)** *Euphorbia caput-medusae* L. – a journey from the foggy Cape of Storms to the arid wind-blasted sands of the Namib Desert (part 1) / (part 2). Euphorbia World 7(2): 5-11, (3): 5-14, ill., map.

[491] **Winkler, G. & Scholz, E. (2011)** Gibt es *Lobivia vatteri* Krainz? Echinopseen 8(2): 88, iii, ill.

[492] **Wittau, H. J. (2011)** Überraschung.

Echinopseen 8(1): 37-41, ill. [On *Lobivia formosa* var. *bertramiana* flowering in cultivation with a deviating flower colour.]

[493] **Wittner, H. (2011)** *Matucana myriacantha* high above the Rio Crisnejas. *Cact. Explorer* 2: 40-43, ill.

[494] **Wittner, H. (2011)** A cry for help: *Matucana huagalensis* – new location, but still almost extinct. *CactusWorld* 29(3): 161-164, ill.

[495] **Wittner, H. (2011)** *Espostoa hylaea* – ein kaum bekannter Säulenkaktus aus Nordperu. *Kakt. and. Sukk.* 62(8): 211-215, ill.

[496] **Xia, G.-H. & Liu, C.-H. (2011)** [Chinese:] *Sedum tricarpum*: A new record of *Sedum* (*Crassulaceae*) from China. *J. Zhejiang Forest. Coll.* 28(2): 254-255, SEM ill.

[497] **Yesson, C., Bárcenas, R. T., Hernández H. M., Ruiz-Maqueda, M. D., Prado, A., Rodríguez, V. M. & Hawkins, J. A. (2011)** DNA barcodes for Mexican *Cactaceae*, plants under pressure from wild collecting. *Molec. Ecol. Resources* 11: 775-783.

[498] **Young, A. J., Rodgerson, C. & Hammer, S. A. (2011)** The rough and the smooth: A reassessment of *Conophytum reconditum*. *Bradleya* 29: 93-102, ill., map.

[499] **Zito, P., Sajeva, M., Bruno, M., Maggio, A., Rosselli, S., Formisano, C. & Senatore, F. (2010)** Essential oil composition of stems and fruits of *Caralluma europaea* N. E. Br. (*Apocynaceae*). *Molecules* 15(2): 627-638, ill.







### **Back issues of Repertorium Plantarum Succulentarum**

Many printed back issues of Repertorium Plantarum Succulentarum are still available. Please address enquiries to the IOS Secretary ([secretary@iosweb.org](mailto:secretary@iosweb.org)).

